

NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026  
Issued April 01, 2025  
Revised July 16, 2025

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. NORMAN D. FARMER  
SGS NORTH AMERICA INC-ORLANDO  
4405 VINELAND RD STE C-15  
ORLANDO, FL 32811

NY Lab Id No: 12022

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Acrylates**

Acrolein (Propenal)	EPA 8260D
Acrylonitrile	EPA 8260D

**Amines**

1,2-Diphenylhydrazine	EPA 8270E
1,4-Phenylenediamine	EPA 8270E
1-Naphthylamine	EPA 8270E
2-Naphthylamine	EPA 8270E
2-Nitroaniline	EPA 8270E
3-Nitroaniline	EPA 8270E
4,4'-Methylenebis(2-chloroaniline)	EPA 8270E
4-Chloroaniline	EPA 8270E
4-Nitroaniline	EPA 8270E
5-Nitro-o-toluidine	EPA 8270E
a,a-Dimethylphenethylamine	EPA 8270E
Aniline	EPA 8270E
Carbazole	EPA 8270E
Methapyrilene	EPA 8270E
Pronamide	EPA 8270E
Propionitrile	EPA 8260D
Pyridine	EPA 8270E

**Benzidines**

3,3'-Dichlorobenzidine	EPA 8270E
3,3'-Dimethylbenzidine	EPA 8270E
Benzidine	EPA 8270E

**Chlorinated Hydrocarbon Pesticides**

4,4'-DDD	EPA 8081B
----------	-----------

Serial No.: 71178

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026  
Issued April 01, 2025  
Revised July 16, 2025

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. NORMAN D. FARMER  
SGS NORTH AMERICA INC-ORLANDO  
4405 VINELAND RD STE C-15  
ORLANDO, FL 32811

NY Lab Id No: 12022

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Chlorinated Hydrocarbon Pesticides**

4,4'-DDE	EPA 8081B
4,4'-DDT	EPA 8081B
Aldrin	EPA 8081B
alpha-BHC	EPA 8081B
alpha-Chlordane	EPA 8081B
beta-BHC	EPA 8081B
Chlordane Total	EPA 8081B
Chlorobenzilate	EPA 8270E
delta-BHC	EPA 8081B
Diallate	EPA 8270E
Dieldrin	EPA 8081B
Endosulfan I	EPA 8081B
Endosulfan II	EPA 8081B
Endosulfan sulfate	EPA 8081B
Endrin	EPA 8081B
Endrin aldehyde	EPA 8081B
Endrin Ketone	EPA 8081B
gamma-Chlordane	EPA 8081B
Heptachlor	EPA 8081B
Heptachlor epoxide	EPA 8081B
Isodrin	EPA 8270E
Kepone	EPA 8270E
Lindane	EPA 8081B
Methoxychlor	EPA 8081B
Toxaphene	EPA 8081B

**Chlorinated Hydrocarbons**

1,2,3-Trichlorobenzene	EPA 8260D
------------------------	-----------

Serial No.: 71178

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026  
Issued April 01, 2025  
Revised July 16, 2025

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. NORMAN D. FARMER  
SGS NORTH AMERICA INC-ORLANDO  
4405 VINELAND RD STE C-15  
ORLANDO, FL 32811

NY Lab Id No: 12022

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Chlorinated Hydrocarbons**

1,2,4,5-Tetrachlorobenzene	EPA 8270E
1,2,4-Trichlorobenzene	EPA 8270E
1-Chloronaphthalene	EPA 8270E
2-Chloronaphthalene	EPA 8270E
Hexachlorobenzene	EPA 8270E
Hexachlorobutadiene	EPA 8270E
Hexachlorocyclopentadiene	EPA 8270E
Hexachloroethane	EPA 8270E
Hexachloropropene	EPA 8270E
Pentachlorobenzene	EPA 8270E

**Chlorophenoxy Acid Pesticides**

2,4,5-T	EPA 8151A
2,4,5-TP (Silvex)	EPA 8151A
2,4-D	EPA 8151A
2,4-DB	EPA 8151A
Dalapon	EPA 8151A
Dicamba	EPA 8151A
Dichloroprop	EPA 8151A
Dinoseb	EPA 8151A
Pentachlorophenol	EPA 8151A

**Demand**

Biochemical Oxygen Demand	SM 5210B-2016
Carbonaceous BOD	SM 5210B-2016
Chemical Oxygen Demand	SM 5220C-2011

**Dissolved Gases**

Acetylene	RSK-175
-----------	---------

Serial No.: 71178

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026  
Issued April 01, 2025  
Revised July 16, 2025

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. NORMAN D. FARMER  
SGS NORTH AMERICA INC-ORLANDO  
4405 VINELAND RD STE C-15  
ORLANDO, FL 32811

NY Lab Id No: 12022

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Dissolved Gases**

Ethane	RSK-175
Ethene (Ethylene)	RSK-175
Methane	RSK-175
Propane	RSK-175

**Fuel Oxygenates**

Di-isopropyl ether	EPA 8260D
Ethanol	EPA 8260D
Methyl tert-butyl ether	EPA 8260D
tert-amyl alcohol	EPA 8260D
tert-amyl methyl ether (TAME)	EPA 8260D
tert-butyl alcohol	EPA 8260D
tert-butyl ethyl ether (ETBE)	EPA 8260D

**Haloethers**

2,2'-Oxybis(1-chloropropane)	EPA 8270E
4-Bromophenylphenyl ether	EPA 8270E
4-Chlorophenylphenyl ether	EPA 8270E
Bis(2-chloroethoxy)methane	EPA 8270E
Bis(2-chloroethyl)ether	EPA 8270E

**Low Level Halocarbons**

1,2-Dibromo-3-chloropropane, Low Le	EPA 8011
1,2-Dibromoethane, Low Level	EPA 8011

**Low Level Polynuclear Aromatics**

Acenaphthene Low Level	EPA 8270E
Acenaphthylene Low Level	EPA 8270E
Anthracene Low Level	EPA 8270E
Benzo(a)anthracene Low Level	EPA 8270E

Serial No.: 71178

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026  
Issued April 01, 2025  
Revised July 16, 2025

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. NORMAN D. FARMER  
SGS NORTH AMERICA INC-ORLANDO  
4405 VINELAND RD STE C-15  
ORLANDO, FL 32811

NY Lab Id No: 12022

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Low Level Polynuclear Aromatics**

Benzo(a)pyrene Low Level	EPA 8270E
Benzo(b)fluoranthene Low Level	EPA 8270E
Benzo(g,h,i)perylene Low Level	EPA 8270E
Benzo(k)fluoranthene Low Level	EPA 8270E
Chrysene Low Level	EPA 8270E
Dibenzo(a,h)anthracene Low Level	EPA 8270E
Fluoranthene Low Level	EPA 8270E
Fluorene Low Level	EPA 8270E
Indeno(1,2,3-cd)pyrene Low Level	EPA 8270E
Naphthalene Low Level	EPA 8270E
Phenanthrene Low Level	EPA 8270E
Pyrene Low Level	EPA 8270E

**Metals I**

Barium, Total	EPA 6010D EPA 6020B
Cadmium, Total	EPA 6010D EPA 6020B
Calcium, Total	EPA 6010D EPA 6020B
Chromium, Total	EPA 6010D EPA 6020B
Copper, Total	EPA 6010D EPA 6020B
Iron, Total	EPA 6010D EPA 6020B
Lead, Total	EPA 6010D EPA 6020B

Serial No.: 71178

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026  
Issued April 01, 2025  
Revised July 16, 2025

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MR. NORMAN D. FARMER**  
**SGS NORTH AMERICA INC-ORLANDO**  
**4405 VINELAND RD STE C-15**  
**ORLANDO, FL 32811**

**NY Lab Id No: 12022**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Metals I**

Magnesium, Total	EPA 6010D
	EPA 6020B
Manganese, Total	EPA 6010D
	EPA 6020B
Nickel, Total	EPA 6010D
	EPA 6020B
Potassium, Total	EPA 6010D
	EPA 6020B
Silver, Total	EPA 6010D
	EPA 6020B
Sodium, Total	EPA 6010D
	EPA 6020B
Strontium, Total	EPA 6010D
	EPA 6020B

**Metals II**

Aluminum, Total	EPA 6010D
	EPA 6020B
Antimony, Total	EPA 6010D
	EPA 6020B
Arsenic, Total	EPA 6010D
	EPA 6020B
Beryllium, Total	EPA 6010D
	EPA 6020B
Chromium VI	EPA 7196A
	EPA 7199
Mercury, Total	EPA 7470A
Selenium, Total	EPA 6010D

**Serial No.: 71178**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026  
Issued April 01, 2025  
Revised July 16, 2025

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. NORMAN D. FARMER  
SGS NORTH AMERICA INC-ORLANDO  
4405 VINELAND RD STE C-15  
ORLANDO, FL 32811

NY Lab Id No: 12022

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Metals II**

Selenium, Total	EPA 6020B
Vanadium, Total	EPA 6010D
	EPA 6020B
Zinc, Total	EPA 6010D
	EPA 6020B

**Metals III**

Cobalt, Total	EPA 6010D
	EPA 6020B
Molybdenum, Total	EPA 6010D
	EPA 6020B
Thallium, Total	EPA 6010D
	EPA 6020B
Tin, Total	EPA 6010D
	EPA 6020B
Titanium, Total	EPA 6010D
	EPA 6020B

**Mineral**

Alkalinity	SM 2320B-2011
Chloride	EPA 300.0, Rev. 2.1 (1993)
	EPA 9056A
Fluoride, Total	EPA 300.0, Rev. 2.1 (1993)
	EPA 9056A
Hardness, Total	SM 2340B-2011
Sulfate (as SO <sub>4</sub> )	EPA 300.0, Rev. 2.1 (1993)
	EPA 9056A

Serial No.: 71178

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).





NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026  
Issued April 01, 2025  
Revised July 16, 2025

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. NORMAN D. FARMER  
SGS NORTH AMERICA INC-ORLANDO  
4405 VINELAND RD STE C-15  
ORLANDO, FL 32811

NY Lab Id No: 12022

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Miscellaneous**

Boron, Total	EPA 6010D
Bromide	EPA 300.0, Rev. 2.1 (1993) EPA 9056A
Cyanide, Total	EPA 9012B
Oil and Grease Total Recoverable	EPA 1664A EPA 1664B EPA 9070A (Solvent:Hexane)
Organic Carbon, Total	SM 5310B-2014 EPA 9060A
Perchlorate	EPA 6850
Phenols	EPA 420.4, Rev. 1.0 (1993)
Specific Conductance	EPA 120.1 (Rev. 1982)
Sulfide (as S)	SM 4500-S2- F-2011

**Nitroaromatics and Isophorone**

1,3,5-Trinitrobenzene	EPA 8270E EPA 8330A EPA 8330B
1,3-Dinitrobenzene	EPA 8270E EPA 8330A EPA 8330B
1,4-Naphthoquinone	EPA 8270E
2,4,6-Trinitrotoluene	EPA 8330A EPA 8330B
2,4-Dinitrotoluene	EPA 8330A EPA 8330B
2,6-Dinitrotoluene	EPA 8330A EPA 8330B

Serial No.: 71178

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).





NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026  
Issued April 01, 2025  
Revised July 16, 2025

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. NORMAN D. FARMER  
SGS NORTH AMERICA INC-ORLANDO  
4405 VINELAND RD STE C-15  
ORLANDO, FL 32811

NY Lab Id No: 12022

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Nitroaromatics and Isophorone**

2-Amino-4,6-dinitrotoluene	EPA 8330A
	EPA 8330B
2-Nitrotoluene	EPA 8330A
	EPA 8330B
3,5-Dinitroaniline	EPA 8330B
3-Nitrotoluene	EPA 8330A
	EPA 8330B
4-Amino-2,6-dinitrotoluene	EPA 8330A
	EPA 8330B
4-Nitroquinoline-1-oxide	EPA 8270E
4-Nitrotoluene	EPA 8330A
	EPA 8330B
Hexahydro-1,3,5-trinitro-1,3,5-triazine	EPA 8330A
	EPA 8330B
Isophorone	EPA 8270E
Methyl-2,4,6-trinitrophenylnitramine	EPA 8330A
	EPA 8330B
Nitrobenzene	EPA 8270E
	EPA 8330A
	EPA 8330B
Nitroglycerine	EPA 8330B
Octahydro-tetranitro-tetrazocine	EPA 8330A
	EPA 8330B
Pentaerythritol tetranitrate	EPA 8330B

**Nitrosoamines**

N-Nitrosodiethylamine	EPA 8270E
N-Nitrosodimethylamine	EPA 8270E

Serial No.: 71178

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026  
Issued April 01, 2025  
Revised July 16, 2025

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. NORMAN D. FARMER  
SGS NORTH AMERICA INC-ORLANDO  
4405 VINELAND RD STE C-15  
ORLANDO, FL 32811

NY Lab Id No: 12022

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Nitrosoamines**

N-Nitrosodi-n-butylamine	EPA 8270E
N-Nitrosodi-n-propylamine	EPA 8270E
N-Nitrosodiphenylamine	EPA 8270E
N-nitrosomethylethylamine	EPA 8270E
N-nitrosomorpholine	EPA 8270E
N-nitrosopiperidine	EPA 8270E
N-Nitrosopyrrolidine	EPA 8270E

**Nutrient**

Ammonia (as N)	EPA 350.1, Rev. 2.0 (1993)
Kjeldahl Nitrogen, Total	EPA 351.2, Rev. 2.0 (1993)
Nitrate (as N)	EPA 353.2, Rev. 2.0 (1993) EPA 300.0, Rev. 2.1 (1993) EPA 9056A
Nitrite (as N)	EPA 353.2, Rev. 2.0 (1993) EPA 300.0, Rev. 2.1 (1993) EPA 9056A
Organic Nitrogen (as N)	TKN minus Ammonia (as N)
Orthophosphate (as P)	EPA 365.3 (Issued 1978)
Phosphorus, Total	EPA 365.3 (Issued 1978)

**Organophosphate Pesticides**

Atrazine	EPA 8270E
Diazinon	EPA 8270E
Dimethoate	EPA 8270E
Disulfoton	EPA 8270E
Famphur	EPA 8270E
Parathion ethyl	EPA 8270E

Serial No.: 71178

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026  
Issued April 01, 2025  
Revised July 16, 2025

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. NORMAN D. FARMER  
SGS NORTH AMERICA INC-ORLANDO  
4405 VINELAND RD STE C-15  
ORLANDO, FL 32811

NY Lab Id No: 12022

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Organophosphate Pesticides**

Parathion methyl	EPA 8270E
Phorate	EPA 8270E
Simazine	EPA 8270E
Sulfotepp	EPA 8270E
Thionazin	EPA 8270E

**Perfluorinated Alkyl Acids**

11CI-PF3OUdS	EPA 1633
3:3 FTCA	EPA 1633
4:2FTS	EPA 1633
5:3 FTCA	EPA 1633
6:2FTS	EPA 1633
7:3 FTCA	EPA 1633
8:2FTS	EPA 1633
9CI-PF3ONS	EPA 1633
ADONA	EPA 1633
HFPO-DA (GenX)	EPA 1633
NEtFOSA	EPA 1633
NEtFOSAA	EPA 1633
NEtFOSE	EPA 1633
NFDHA	EPA 1633
NMeFOSA	EPA 1633
NMeFOSAA	EPA 1633
NMeFOSE	EPA 1633
Perfluorotridecanoic Acid (PFTTrDA)	EPA 1633
Perfluorodecanoic Acid (PFDA)	EPA 1633
Perfluoro-3-Methoxypropanoic Acid (F	EPA 1633
Perfluoro-4-Methoxybutanoic Acid (PF	EPA 1633

Serial No.: 71178

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026  
Issued April 01, 2025  
Revised July 16, 2025

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. NORMAN D. FARMER  
SGS NORTH AMERICA INC-ORLANDO  
4405 VINELAND RD STE C-15  
ORLANDO, FL 32811

NY Lab Id No: 12022

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Perfluorinated Alkyl Acids**

Perfluorobutanesulfonic Acid (PFBS)	EPA 1633
Perfluorobutanoic Acid (PFBA)	EPA 1633
Perfluorodecanesulfonic acid (PFDS)	EPA 1633
Perfluorododecanesulfonic acid (PFDS)	EPA 1633
Perfluorododecanoic Acid (PFDoA)	EPA 1633
Perfluoroheptanesulfonic Acid (PFHpS)	EPA 1633
Perfluoroheptanoic Acid (PFHpA)	EPA 1633
Perfluorohexanesulfonic Acid (PFHxS)	EPA 1633
Perfluorohexanoic Acid (PFHxA)	EPA 1633
Perfluorononanesulfonic acid (PFNS)	EPA 1633
Perfluorononanoic Acid (PFNA)	EPA 1633
Perfluorooctanesulfonamide (PFOSA)	EPA 1633
Perfluorooctanesulfonic Acid (PFOS)	SGS MS 014.10 EPA 1633
Perfluorooctanoic Acid (PFOA)	SGS MS 014.10 EPA 1633
Perfluoropentanesulfonic Acid (PFPeS)	EPA 1633
Perfluoropentanoic Acid (PFPeA)	EPA 1633
Perfluorotetradecanoic Acid (PFTeDA)	EPA 1633
Perfluoroundecanoic Acid (PFUnA)	EPA 1633
PFEESA	EPA 1633

**Petroleum Hydrocarbons**

Diesel Range Organics	EPA 8015D
Gasoline Range Organics	EPA 8015D

**Phthalate Esters**

Benzyl butyl phthalate	EPA 8270E
------------------------	-----------

Serial No.: 71178

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026  
Issued April 01, 2025  
Revised July 16, 2025

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. NORMAN D. FARMER  
SGS NORTH AMERICA INC-ORLANDO  
4405 VINELAND RD STE C-15  
ORLANDO, FL 32811

NY Lab Id No: 12022

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Phthalate Esters**

Bis(2-ethylhexyl) phthalate	EPA 8270E
Diethyl phthalate	EPA 8270E
Dimethyl phthalate	EPA 8270E
Di-n-butyl phthalate	EPA 8270E
Di-n-octyl phthalate	EPA 8270E

**Polychlorinated Biphenyls**

Aroclor 1016 (PCB-1016)	EPA 8082A EPA 8270E
Aroclor 1221 (PCB-1221)	EPA 8082A EPA 8270E
Aroclor 1232 (PCB-1232)	EPA 8082A EPA 8270E
Aroclor 1242 (PCB-1242)	EPA 8082A EPA 8270E
Aroclor 1248 (PCB-1248)	EPA 8082A EPA 8270E
Aroclor 1254 (PCB-1254)	EPA 8082A EPA 8270E
Aroclor 1260 (PCB-1260)	EPA 8082A EPA 8270E
Aroclor 1262 (PCB-1262)	EPA 8082A
Aroclor 1268 (PCB-1268)	EPA 8082A

**Polynuclear Aromatics**

2-Acetylaminofluorene	EPA 8270E
3-Methylcholanthrene	EPA 8270E
7,12-Dimethylbenzyl (a) anthracene	EPA 8270E

Serial No.: 71178

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026  
Issued April 01, 2025  
Revised July 16, 2025

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. NORMAN D. FARMER  
SGS NORTH AMERICA INC-ORLANDO  
4405 VINELAND RD STE C-15  
ORLANDO, FL 32811

NY Lab Id No: 12022

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Polynuclear Aromatics**

Acenaphthene	EPA 8270E
Acenaphthylene	EPA 8270E
Anthracene	EPA 8270E
Benzo(a)anthracene	EPA 8270E
Benzo(a)pyrene	EPA 8270E
Benzo(b)fluoranthene	EPA 8270E
Benzo(g,h,i)perylene	EPA 8270E
Benzo(k)fluoranthene	EPA 8270E
Chrysene	EPA 8270E
Dibenzo(a,h)anthracene	EPA 8270E
Fluoranthene	EPA 8270E
Fluorene	EPA 8270E
Indeno(1,2,3-cd)pyrene	EPA 8270E
Naphthalene	EPA 8270E
Phenanthrene	EPA 8270E
Pyrene	EPA 8270E

**Priority Pollutant Phenols**

2,3,4,6 Tetrachlorophenol	EPA 8270E
2,4,5-Trichlorophenol	EPA 8270E
2,4,6-Trichlorophenol	EPA 8270E
2,4-Dichlorophenol	EPA 8270E
2,4-Dimethylphenol	EPA 8270E
2,4-Dinitrophenol	EPA 8270E
2,6-Dichlorophenol	EPA 8270E
2-Chlorophenol	EPA 8270E
2-Methyl-4,6-dinitrophenol	EPA 8270E
2-Methylphenol	EPA 8270E

Serial No.: 71178

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026  
Issued April 01, 2025  
Revised July 16, 2025

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. NORMAN D. FARMER  
SGS NORTH AMERICA INC-ORLANDO  
4405 VINELAND RD STE C-15  
ORLANDO, FL 32811

NY Lab Id No: 12022

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Priority Pollutant Phenols**

2-Nitrophenol	EPA 8270E
3-Methylphenol	EPA 8270E
4-Chloro-3-methylphenol	EPA 8270E
4-Methylphenol	EPA 8270E
4-Nitrophenol	EPA 8270E
Cresols, Total	EPA 8270E
Pentachlorophenol	EPA 8270E
Phenol	EPA 8270E

**Residue**

Solids, Total	SM 2540 B-2015
Solids, Total Dissolved	SM 2540 C-2015
Solids, Total Suspended	SM 2540 D-2015

**Semi-Volatile Organics**

1,1'-Biphenyl	EPA 8270E
1,2-Dichlorobenzene, Semi-volatile	EPA 8270E
1,3-Dichlorobenzene, Semi-volatile	EPA 8270E
1,4-Dichlorobenzene, Semi-volatile	EPA 8270E
2-Methylnaphthalene	EPA 8270E
2-Picoline	EPA 8270E
4-Amino biphenyl	EPA 8270E
Acetophenone	EPA 8270E
Aramite	EPA 8270E
Benzaldehyde	EPA 8270E
Benzoic Acid	EPA 8270E
Benzyl alcohol	EPA 8270E
Caprolactam	EPA 8270E

Serial No.: 71178

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).





NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026  
Issued April 01, 2025  
Revised July 16, 2025

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. NORMAN D. FARMER  
SGS NORTH AMERICA INC-ORLANDO  
4405 VINELAND RD STE C-15  
ORLANDO, FL 32811

NY Lab Id No: 12022

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Semi-Volatile Organics**

Dibenzofuran	EPA 8270E
Ethyl methanesulfonate	EPA 8270E
Isosafrole	EPA 8270E
Methyl methanesulfonate	EPA 8270E
n-Decane	EPA 8270E
n-Octadecane	EPA 8270E
O,O,O-Triethyl phosphorothioate	EPA 8270E
p-Dimethylaminoazobenzene	EPA 8270E
Phenacetin	EPA 8270E
Safrole	EPA 8270E

**Volatile Aromatics**

1,2,4-Trichlorobenzene, Volatile	EPA 8260D
1,2,4-Trimethylbenzene	EPA 8260D
1,2-Dichlorobenzene	EPA 8260D
1,3,5-Trimethylbenzene	EPA 8260D
1,3-Dichlorobenzene	EPA 8260D
1,4-Dichlorobenzene	EPA 8260D
2-Chlorotoluene	EPA 8260D
4-Chlorotoluene	EPA 8260D
Benzene	EPA 8260D
Bromobenzene	EPA 8260D
Chlorobenzene	EPA 8260D
Ethyl benzene	EPA 8260D
Isopropylbenzene	EPA 8260D
m/p-Xylenes	EPA 8260D
Naphthalene, Volatile	EPA 8260D
n-Butylbenzene	EPA 8260D



Serial No.: 71178

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026  
Issued April 01, 2025  
Revised July 16, 2025

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. NORMAN D. FARMER  
SGS NORTH AMERICA INC-ORLANDO  
4405 VINELAND RD STE C-15  
ORLANDO, FL 32811

NY Lab Id No: 12022

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Volatile Aromatics**

n-Propylbenzene	EPA 8260D
o-Xylene	EPA 8260D
p-Isopropyltoluene (P-Cymene)	EPA 8260D
sec-Butylbenzene	EPA 8260D
Styrene	EPA 8260D
tert-Butylbenzene	EPA 8260D
Toluene	EPA 8260D
Total Xylenes	EPA 8260D

**Volatile Halocarbons**

1,1,1,2-Tetrachloroethane	EPA 8260D
1,1,1-Trichloroethane	EPA 8260D
1,1,2,2-Tetrachloroethane	EPA 8260D
1,1,2-Trichloro-1,2,2-Trifluoroethane	EPA 8260D
1,1,2-Trichloroethane	EPA 8260D
1,1-Dichloroethane	EPA 8260D
1,1-Dichloroethene	EPA 8260D
1,1-Dichloropropene	EPA 8260D
1,2,3-Trichloropropane	EPA 8260D
1,2-Dibromo-3-chloropropane	EPA 8260D
1,2-Dibromoethane	EPA 8260D
1,2-Dichloro-1,1,2-Trifluoroethane	EPA 8260D
1,2-Dichloroethane	EPA 8260D
1,2-Dichloropropane	EPA 8260D
1,3-Dichloropropane	EPA 8260D
2,2-Dichloropropane	EPA 8260D
2-Chloro-1,3-butadiene (Chloroprene)	EPA 8260D
2-Chloroethylvinyl ether	EPA 8260D

Serial No.: 71178

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026  
Issued April 01, 2025  
Revised July 16, 2025

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. NORMAN D. FARMER  
SGS NORTH AMERICA INC-ORLANDO  
4405 VINELAND RD STE C-15  
ORLANDO, FL 32811

NY Lab Id No: 12022

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Volatile Halocarbons**

3-Chloropropene (Allyl chloride)	EPA 8260D
Bromochloromethane	EPA 8260D
Bromodichloromethane	EPA 8260D
Bromoform	EPA 8260D
Bromomethane	EPA 8260D
Carbon tetrachloride	EPA 8260D
Chloroethane	EPA 8260D
Chloroform	EPA 8260D
Chloromethane	EPA 8260D
cis-1,2-Dichloroethene	EPA 8260D
cis-1,3-Dichloropropene	EPA 8260D
cis-1,4-Dichloro-2-butene	EPA 8260D
Dibromochloromethane	EPA 8260D
Dibromomethane	EPA 8260D
Dichlorodifluoromethane	EPA 8260D
Hexachlorobutadiene, Volatile	EPA 8260D
Methyl iodide	EPA 8260D
Methylene chloride	EPA 8260D
Tetrachloroethene	EPA 8260D
trans-1,2-Dichloroethene	EPA 8260D
trans-1,3-Dichloropropene	EPA 8260D
trans-1,4-Dichloro-2-butene	EPA 8260D
Trichloroethene	EPA 8260D
Trichlorofluoromethane	EPA 8260D
Vinyl chloride	EPA 8260D

**Volatiles Organics**

1,4-Dioxane	EPA 8260D
-------------	-----------

Serial No.: 71178

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026  
Issued April 01, 2025  
Revised July 16, 2025

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. NORMAN D. FARMER  
SGS NORTH AMERICA INC-ORLANDO  
4405 VINELAND RD STE C-15  
ORLANDO, FL 32811

NY Lab Id No: 12022

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Volatiles Organics**

1,4-Dioxane	EPA 8260C SIM
	EPA 8260D SIM
	EPA 8270D SIM
	EPA 8270E
	EPA 8270E SIM
2-Butanone (Methylethyl ketone)	EPA 8260D
2-Hexanone	EPA 8260D
2-Nitropropane	EPA 8260D
4-Methyl-2-Pentanone	EPA 8260D
Acetone	EPA 8260D
Acetonitrile	EPA 8260D
Carbon Disulfide	EPA 8260D
Di-ethyl ether	EPA 8260D
Ethyl Acetate	EPA 8260D
Ethylene Glycol	EPA 8260D
Isobutyl alcohol	EPA 8260D
Isopropanol	EPA 8260D
n-Butanol	EPA 8260D
o-Toluidine	EPA 8270E
Vinyl acetate	EPA 8260D

**Sample Preparation Methods**

EPA 5030C  
SGS OP 069.5  
EPA 3010A  
EPA 3510C

Serial No.: 71178

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).

