



SDWA ANNUAL CERTIFIED PARAMETER LIST

Issued Date: September 9, 2025
Expiration Date: September 30, 2026

Katahdin Analytical Services, LLC
600 Technology Way
Scarborough, ME 04074

Jennifer Prescott
MD Lab ID: 247
EPA Lab ID: ME00019

ANALYTE	METHOD	STATUS
Antimony	EPA 200.8, Rev. 5.4	Certified
Arsenic	EPA 200.8, Rev. 5.4	Certified
Barium	EPA 200.7, Rev. 4.4	Certified
Barium	EPA 200.8, Rev. 5.4	Certified
Beryllium	EPA 200.7, Rev. 4.4	Certified
Beryllium	EPA 200.8, Rev. 5.4	Certified
Cadmium	EPA 200.7, Rev. 4.4	Certified
Cadmium	EPA 200.8, Rev. 5.4	Certified
Chromium	EPA 200.7, Rev. 4.4	Certified
Chromium	EPA 200.8, Rev. 5.4	Certified
Copper	EPA 200.7, Rev. 4.4	Certified
Copper	EPA 200.8, Rev. 5.4	Certified
Cyanide	EPA 335.4, Rev.1.0	Certified
Fluoride	EPA 300.0, Rev 2.1	Certified
HFPO-DA (GenX)	EPA 533, December 2019	Certified
Lead	EPA 200.8, Rev. 5.4	Certified
Mercury	EPA 245.1, Rev.3.0	Certified
Nitrate	EPA 300.0, Rev 2.1	Certified
Nitrate	EPA 353.2, Rev.2.0	Certified
Nitrite	EPA 300.0, Rev 2.1	Certified
Nitrite	EPA 353.2, Rev.2.0	Certified
PFBS	EPA 533, December 2019	Certified



SDWA ANNUAL CERTIFIED PARAMETER LIST

Issued Date: September 9, 2025

Expiration Date: September 30, 2026

Katahdin Analytical Services, LLC
600 Technology Way
Scarborough, ME 04074

Jennifer Prescott
MD Lab ID: 247
EPA Lab ID: ME00019

ANALYTE	METHOD	STATUS
PFHxS	EPA 533, December 2019	Certified
PFNA	EPA 533, December 2019	Certified
PFOA	EPA 533, December 2019	Certified
PFOS	EPA 533, December 2019	Certified
Selenium	EPA 200.8, Rev. 5.4	Certified
Thallium	EPA 200.8, Rev. 5.4	Certified