



DEPARTMENT OF THE ENVIRONMENT
WATER SUPPLY PROGRAM

Certifies That

Katahdin Analytical Services, LLC

600 Technology Way, Scarborough, ME 04074

Having duly met the requirements of the regulations governing Laboratory Certification and Standards of Performance in accordance with The Annotated Code of Maryland, is hereby approved as a

State Certified Water Quality Laboratory

*to perform the analyses indicated on the Annual Certified Parameter List,
which must accompany this certificate.*

MD Lab ID # 247

Date Issued September 9, 2025

Expiration Date September 30, 2026
(Not Transferable)

Administrator, Water Supply Program

This certification is subject to unannounced laboratory inspections

CONSPICUOUSLY DISPLAY IN THE LABORATORY WITH THE ANNUAL CERTIFIED PARAMETER LIST.

MDE02206



SDWA ANNUAL CERTIFIED PARAMETER LIST-REVISED

Effective Date: June 1, 2026 (Revision #1)

Expiration Date: September 30, 2026

Katahdin Analytical Services, LLC
600 Technology Way
Scarborough, ME 04074

Jennifer Prescott
MD Lab ID: 247
EPA Lab ID: ME00019

ANALYTE	METHOD	STATUS
Antimony	EPA 200.8, Rev. 5.4	Certified
Arsenic	EPA 200.8, Rev. 5.4	Certified
Barium	EPA 200.7, Rev. 4.4	Certified
Barium	EPA 200.8, Rev. 5.4	Certified
Beryllium	EPA 200.7, Rev. 4.4	Certified
Beryllium	EPA 200.8, Rev. 5.4	Certified
Cadmium	EPA 200.7, Rev. 4.4	Certified
Cadmium	EPA 200.8, Rev. 5.4	Certified
Chromium	EPA 200.7, Rev. 4.4	Certified
Chromium	EPA 200.8, Rev. 5.4	Certified
Copper	EPA 200.7, Rev. 4.4	Certified
Copper	EPA 200.8, Rev. 5.4	Certified
Cyanide	EPA 335.4, Rev.1.0	Certified
<i>E.coli</i>	<i>SM 9223 Colilert, 24th ed.</i>	<i>Certified</i>
Fluoride	EPA 300.0, Rev 2.1	Certified
<i>Heterotrophic Plate Count</i>	<i>SimPlate®, November 2000</i>	<i>Certified</i>
HFPO-DA (GenX)	EPA 533, December 2019	Certified
Lead	EPA 200.8, Rev. 5.4	Certified
Mercury	EPA 245.1, Rev.3.0	Certified
Nitrate	EPA 300.0, Rev 2.1	Certified
Nitrate	EPA 353.2, Rev.2.0	Certified
Nitrite	EPA 300.0, Rev 2.1	Certified



SDWA ANNUAL CERTIFIED PARAMETER LIST-REVISED

Effective Date: June 1, 2026 (Revision #1)

Expiration Date: September 30, 2026

Katahdin Analytical Services, LLC
600 Technology Way
Scarborough, ME 04074

Jennifer Prescott
MD Lab ID: 247
EPA Lab ID: ME00019

ANALYTE	METHOD	STATUS
Nitrite	EPA 353.2, Rev.2.0	Certified
PFBS	EPA 533, December 2019	Certified
PFHxS	EPA 533, December 2019	Certified
PFNA	EPA 533, December 2019	Certified
PFOA	EPA 533, December 2019	Certified
PFOS	EPA 533, December 2019	Certified
Selenium	EPA 200.8, Rev. 5.4	Certified
Thallium	EPA 200.8, Rev. 5.4	Certified
<i>Total Coliforms</i>	<i>SM 9223 Colilert, 24th ed.</i>	<i>Certified</i>