

NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026  
Revised September 16, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**MS. AMANDA CRONIN  
KATAHDIN ANALYTICAL SERVICES, LLC  
600 TECHNOLOGY WAY  
SCARBOROUGH, ME 04074**

**NY Lab Id No: 11121**

is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
**ENVIRONMENTAL ANALYSES NON POTABLE WATER**

All approved analytes are listed below:

**Acrylates**

|                     |           |
|---------------------|-----------|
| Acrolein (Propenal) | EPA 8260D |
| Acrylonitrile       | EPA 8260D |
| Ethyl methacrylate  | EPA 8260D |
| Methyl methacrylate | EPA 8260D |

**Amines**

|                 |           |
|-----------------|-----------|
| 2-Nitroaniline  | EPA 8270E |
| 3-Nitroaniline  | EPA 8270E |
| 4-Chloroaniline | EPA 8270E |
| 4-Nitroaniline  | EPA 8270E |
| Carbazole       | EPA 8270E |

**Benzidines**

|                        |           |
|------------------------|-----------|
| 3,3'-Dichlorobenzidine | EPA 8270E |
| 3,3'-Dimethylbenzidine | EPA 8270E |
| Benzidine              | EPA 8270E |

**Chlorinated Hydrocarbon Pesticides**

|                 |           |
|-----------------|-----------|
| 4,4'-DDD        | EPA 8081B |
| 4,4'-DDE        | EPA 8081B |
| 4,4'-DDT        | EPA 8081B |
| Aldrin          | EPA 8081B |
| alpha-BHC       | EPA 8081B |
| alpha-Chlordane | EPA 8081B |
| beta-BHC        | EPA 8081B |
| Chlordane Total | EPA 8081B |
| delta-BHC       | EPA 8081B |
| Dieldrin        | EPA 8081B |
| Endosulfan I    | EPA 8081B |

**Serial No.: 73047**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026  
Revised September 16, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**MS. AMANDA CRONIN  
KATAHDIN ANALYTICAL SERVICES, LLC  
600 TECHNOLOGY WAY  
SCARBOROUGH, ME 04074**

**NY Lab Id No: 11121**

is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
**ENVIRONMENTAL ANALYSES NON POTABLE WATER**

All approved analytes are listed below:

**Chlorinated Hydrocarbon Pesticides**

|                    |           |
|--------------------|-----------|
| Endosulfan II      | EPA 8081B |
| Endosulfan sulfate | EPA 8081B |
| Endrin             | EPA 8081B |
| Endrin aldehyde    | EPA 8081B |
| Endrin ketone      | EPA 8081B |
| Heptachlor         | EPA 8081B |
| Heptachlor epoxide | EPA 8081B |
| Lindane            | EPA 8081B |
| Methoxychlor       | EPA 8081B |
| Toxaphene          | EPA 8081B |
| trans-Chlordane    | EPA 8081B |

**Chlorinated Hydrocarbons**

|                            |           |
|----------------------------|-----------|
| 1,2,4,5-Tetrachlorobenzene | EPA 8270E |
| 1,2,4-Trichlorobenzene     | EPA 8270E |
| 2-Chloronaphthalene        | EPA 8270E |
| Hexachlorobenzene          | EPA 8270E |
| Hexachlorobutadiene        | EPA 8270E |
| Hexachlorocyclopentadiene  | EPA 8270E |
| Hexachloroethane           | EPA 8270E |

**Chlorophenoxy Acid Pesticides**

|                   |           |
|-------------------|-----------|
| 2,4,5-T           | EPA 8151A |
| 2,4,5-TP (Silvex) | EPA 8151A |
| 2,4-D             | EPA 8151A |
| 2,4-DB            | EPA 8151A |
| Dalapon           | EPA 8151A |
| Dicamba           | EPA 8151A |

**Serial No.: 73047**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026  
Revised September 16, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**MS. AMANDA CRONIN  
KATAHDIN ANALYTICAL SERVICES, LLC  
600 TECHNOLOGY WAY  
SCARBOROUGH, ME 04074**

**NY Lab Id No: 11121**

is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
**ENVIRONMENTAL ANALYSES NON POTABLE WATER**

All approved analytes are listed below:

**Chlorophenoxy Acid Pesticides**

|                   |           |
|-------------------|-----------|
| Dichloroprop      | EPA 8151A |
| Dinoseb           | EPA 8151A |
| Pentachlorophenol | EPA 8151A |

**Demand**

|                           |                            |
|---------------------------|----------------------------|
| Biochemical Oxygen Demand | SM 5210B-2016              |
| Carbonaceous BOD          | SM 5210B-2016              |
| Chemical Oxygen Demand    | EPA 410.4, Rev. 2.0 (1993) |

**Dissolved Gases**

|                   |         |
|-------------------|---------|
| Ethane            | RSK-175 |
| Ethene (Ethylene) | RSK-175 |
| Methane           | RSK-175 |

**Fuel Oxygenates**

|                         |           |
|-------------------------|-----------|
| Methyl tert-butyl ether | EPA 8260D |
|-------------------------|-----------|

**Haloethers**

|                              |           |
|------------------------------|-----------|
| 2,2'-Oxybis(1-chloropropane) | EPA 8270E |
| 4-Bromophenyl phenyl ether   | EPA 8270E |
| 4-Chlorophenylphenyl ether   | EPA 8270E |
| Bis(2-chloroethoxy)methane   | EPA 8270E |
| Bis(2-chloroethyl)ether      | EPA 8270E |

**Low Level Halocarbons**

|                                        |          |
|----------------------------------------|----------|
| 1,2-Dibromo-3-chloropropane, Low Level | EPA 8011 |
| 1,2-Dibromoethane, Low Level           | EPA 8011 |

**Low Level Polynuclear Aromatics**

|                          |               |
|--------------------------|---------------|
| Acenaphthene Low Level   | EPA 8270E SIM |
| Acenaphthylene Low Level | EPA 8270E SIM |

**Serial No.: 73047**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026  
Revised September 16, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**MS. AMANDA CRONIN  
KATAHDIN ANALYTICAL SERVICES, LLC  
600 TECHNOLOGY WAY  
SCARBOROUGH, ME 04074**

**NY Lab Id No: 11121**

is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
**ENVIRONMENTAL ANALYSES NON POTABLE WATER**

All approved analytes are listed below:

**Low Level Polynuclear Aromatics**

|                                  |               |
|----------------------------------|---------------|
| Anthracene Low Level             | EPA 8270E SIM |
| Benzo(a)anthracene Low Level     | EPA 8270E SIM |
| Benzo(a)pyrene Low Level         | EPA 8270E SIM |
| Benzo(b)fluoranthene Low Level   | EPA 8270E SIM |
| Benzo(g,h,i)perylene Low Level   | EPA 8270E SIM |
| Benzo(k)fluoranthene Low Level   | EPA 8270E SIM |
| Chrysene Low Level               | EPA 8270E SIM |
| Dibenzo(a,h)anthracene Low Level | EPA 8270E SIM |
| Fluoranthene Low Level           | EPA 8270E SIM |
| Fluorene Low Level               | EPA 8270E SIM |
| Indeno(1,2,3-cd)pyrene Low Level | EPA 8270E SIM |
| Naphthalene Low Level            | EPA 8270E SIM |
| Phenanthrene Low Level           | EPA 8270E SIM |
| Pyrene Low Level                 | EPA 8270E SIM |

**Metals I**

|                |                                                                                                              |
|----------------|--------------------------------------------------------------------------------------------------------------|
| Barium, Total  | EPA 200.7, Rev. 4.4 (1994)<br>EPA 6010C<br>EPA 6010D<br>EPA 6020A<br>EPA 6020B<br>EPA 200.8, Rev. 5.4 (1994) |
| Cadmium, Total | EPA 200.7, Rev. 4.4 (1994)<br>EPA 6010D<br>EPA 6020B<br>EPA 200.8, Rev. 5.4 (1994)                           |
| Calcium, Total | EPA 200.7, Rev. 4.4 (1994)<br>EPA 6010D                                                                      |

**Serial No.: 73047**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026  
Revised September 16, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**MS. AMANDA CRONIN  
KATAHDIN ANALYTICAL SERVICES, LLC  
600 TECHNOLOGY WAY  
SCARBOROUGH, ME 04074**

**NY Lab Id No: 11121**

is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
**ENVIRONMENTAL ANALYSES NON POTABLE WATER**

All approved analytes are listed below:

**Metals I**

|                  |                                                                                    |
|------------------|------------------------------------------------------------------------------------|
| Calcium, Total   | EPA 6020B                                                                          |
| Chromium, Total  | EPA 200.7, Rev. 4.4 (1994)<br>EPA 6010D<br>EPA 6020B<br>EPA 200.8, Rev. 5.4 (1994) |
| Copper, Total    | EPA 200.7, Rev. 4.4 (1994)<br>EPA 6010D<br>EPA 6020B<br>EPA 200.8, Rev. 5.4 (1994) |
| Iron, Total      | EPA 200.7, Rev. 4.4 (1994)<br>EPA 6010D<br>EPA 6020B                               |
| Lead, Total      | EPA 200.7, Rev. 4.4 (1994)<br>EPA 6010D<br>EPA 6020B<br>EPA 200.8, Rev. 5.4 (1994) |
| Magnesium, Total | EPA 200.7, Rev. 4.4 (1994)<br>EPA 6010D<br>EPA 6020B                               |
| Manganese, Total | EPA 200.7, Rev. 4.4 (1994)<br>EPA 6010D<br>EPA 6020B<br>EPA 200.8, Rev. 5.4 (1994) |
| Nickel, Total    | EPA 200.7, Rev. 4.4 (1994)<br>EPA 6010D<br>EPA 6020B<br>EPA 200.8, Rev. 5.4 (1994) |

**Serial No.: 73047**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026  
Revised September 16, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**MS. AMANDA CRONIN  
KATAHDIN ANALYTICAL SERVICES, LLC  
600 TECHNOLOGY WAY  
SCARBOROUGH, ME 04074**

**NY Lab Id No: 11121**

is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
**ENVIRONMENTAL ANALYSES NON POTABLE WATER**

All approved analytes are listed below:

**Metals I**

|                  |                                                                                    |
|------------------|------------------------------------------------------------------------------------|
| Potassium, Total | EPA 200.7, Rev. 4.4 (1994)<br>EPA 6010D<br>EPA 6020B                               |
| Silver, Total    | EPA 200.7, Rev. 4.4 (1994)<br>EPA 6010D<br>EPA 6020B                               |
| Sodium, Total    | EPA 200.8, Rev. 5.4 (1994)<br>EPA 200.7, Rev. 4.4 (1994)<br>EPA 6010D<br>EPA 6020B |
| Strontium, Total | EPA 6010D<br>EPA 6020B                                                             |

**Metals II**

|                  |                                                                                    |
|------------------|------------------------------------------------------------------------------------|
| Aluminum, Total  | EPA 200.7, Rev. 4.4 (1994)<br>EPA 6010D<br>EPA 6020B                               |
| Antimony, Total  | EPA 200.8, Rev. 5.4 (1994)<br>EPA 200.7, Rev. 4.4 (1994)<br>EPA 6010D<br>EPA 6020B |
| Arsenic, Total   | EPA 200.8, Rev. 5.4 (1994)<br>EPA 200.7, Rev. 4.4 (1994)<br>EPA 6010D<br>EPA 6020B |
| Beryllium, Total | EPA 200.8, Rev. 5.4 (1994)<br>EPA 200.7, Rev. 4.4 (1994)<br>EPA 6010D              |

**Serial No.: 73047**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026  
Revised September 16, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**MS. AMANDA CRONIN  
KATAHDIN ANALYTICAL SERVICES, LLC  
600 TECHNOLOGY WAY  
SCARBOROUGH, ME 04074**

**NY Lab Id No: 11121**

is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
**ENVIRONMENTAL ANALYSES NON POTABLE WATER**

All approved analytes are listed below:

**Metals II**

|                  |                                                                                    |
|------------------|------------------------------------------------------------------------------------|
| Beryllium, Total | EPA 6020B<br>EPA 200.8, Rev. 5.4 (1994)                                            |
| Chromium VI      | EPA 7196A                                                                          |
| Mercury, Total   | EPA 245.1, Rev. 3.0 (1994)<br>EPA 7470A                                            |
| Selenium, Total  | EPA 200.7, Rev. 4.4 (1994)<br>EPA 6010D<br>EPA 6020B<br>EPA 200.8, Rev. 5.4 (1994) |
| Vanadium, Total  | EPA 200.7, Rev. 4.4 (1994)<br>EPA 6010D<br>EPA 6020B<br>EPA 200.8, Rev. 5.4 (1994) |
| Zinc, Total      | EPA 200.7, Rev. 4.4 (1994)<br>EPA 6010D<br>EPA 6020B<br>EPA 200.8, Rev. 5.4 (1994) |

**Metals III**

|                   |                                                                                    |
|-------------------|------------------------------------------------------------------------------------|
| Cobalt, Total     | EPA 200.7, Rev. 4.4 (1994)<br>EPA 6010D<br>EPA 6020B<br>EPA 200.8, Rev. 5.4 (1994) |
| Molybdenum, Total | EPA 200.7, Rev. 4.4 (1994)<br>EPA 6010D<br>EPA 6020B<br>EPA 200.8, Rev. 5.4 (1994) |
| Thallium, Total   | EPA 6010D                                                                          |

**Serial No.: 73047**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026  
Revised September 16, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**MS. AMANDA CRONIN  
KATAHDIN ANALYTICAL SERVICES, LLC  
600 TECHNOLOGY WAY  
SCARBOROUGH, ME 04074**

**NY Lab Id No: 11121**

is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
**ENVIRONMENTAL ANALYSES NON POTABLE WATER**

All approved analytes are listed below:

**Metals III**

|                 |                                                      |
|-----------------|------------------------------------------------------|
| Thallium, Total | EPA 6020B<br>EPA 200.8, Rev. 5.4 (1994)              |
| Tin, Total      | EPA 200.7, Rev. 4.4 (1994)<br>EPA 6010D<br>EPA 6020B |
| Titanium, Total | EPA 6010D                                            |
| Uranium (Mass)  | EPA 6020B                                            |

**Mineral**

|                               |                                                                           |
|-------------------------------|---------------------------------------------------------------------------|
| Alkalinity                    | SM 2320 B-2021                                                            |
| Chloride                      | EPA 300.0, Rev. 2.1 (1993)<br>SM 4500-Cl <sup>-</sup> E-2021<br>EPA 9056A |
| Fluoride, Total               | EPA 300.0, Rev. 2.1 (1993)<br>SM 4500-F <sup>-</sup> C-2021<br>EPA 9056A  |
| Hardness, Total               | SM 2340 B-2021                                                            |
| Sulfate (as SO <sub>4</sub> ) | ASTM D516-16<br>EPA 300.0, Rev. 2.1 (1993)<br>EPA 9056A                   |

**Miscellaneous**

|              |                                                      |
|--------------|------------------------------------------------------|
| Boron, Total | EPA 200.7, Rev. 4.4 (1994)<br>EPA 6010C<br>EPA 6010D |
| Bromide      | EPA 300.0, Rev. 2.1 (1993)<br>EPA 9056A              |
| Color        | SM 2120 B-2021                                       |

**Serial No.: 73047**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026  
Revised September 16, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**MS. AMANDA CRONIN  
KATAHDIN ANALYTICAL SERVICES, LLC  
600 TECHNOLOGY WAY  
SCARBOROUGH, ME 04074**

**NY Lab Id No: 11121**

is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
**ENVIRONMENTAL ANALYSES NON POTABLE WATER**

All approved analytes are listed below:

**Miscellaneous**

|                                      |                                              |
|--------------------------------------|----------------------------------------------|
| Cyanide, Total                       | EPA 335.4, Rev. 1.0 (1993)<br>EPA 9012B      |
| non-Polar Extractable Material (TPH) | EPA 1664A                                    |
| Oil and Grease Total Recoverable     | EPA 1664A<br>EPA 9070A (Solvent:Hexane)      |
| Organic Carbon, Total                | SM 5310B-2014<br>EPA 9060A                   |
| Phenols                              | EPA 420.1 (Rev. 1978)<br>EPA 9065            |
| Silica, Dissolved                    | EPA 200.7, Rev. 4.4 (1994)<br>EPA 6010C      |
| Specific Conductance                 | EPA 120.1 (Rev. 1982)<br>SM 2510 B-2021      |
| Turbidity                            | SM 2130 B-2020<br>EPA 180.1, Rev. 2.0 (1993) |

**Nitroaromatics and Isophorone**

|                              |           |
|------------------------------|-----------|
| 2,4-Dinitrotoluene (2,4-DNT) | EPA 8270E |
| 2,6-Dinitrotoluene (2,6-DNT) | EPA 8270E |
| Isophorone                   | EPA 8270E |
| Nitrobenzene                 | EPA 8270E |

**Nitrosoamines**

|                           |           |
|---------------------------|-----------|
| N-Nitrosodimethylamine    | EPA 8270E |
| N-Nitrosodi-n-propylamine | EPA 8270E |
| N-Nitrosodiphenylamine    | EPA 8270E |

**Nutrient**

|                |                    |
|----------------|--------------------|
| Ammonia (as N) | SM 4500-NH3 H-2021 |
|----------------|--------------------|

**Serial No.: 73047**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026  
Revised September 16, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**MS. AMANDA CRONIN  
KATAHDIN ANALYTICAL SERVICES, LLC  
600 TECHNOLOGY WAY  
SCARBOROUGH, ME 04074**

**NY Lab Id No: 11121**

is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
**ENVIRONMENTAL ANALYSES NON POTABLE WATER**

All approved analytes are listed below:

**Nutrient**

|                             |                            |
|-----------------------------|----------------------------|
| Ammonia (as N)              | EPA 350.1, Rev. 2.0 (1993) |
| Kjeldahl Nitrogen, Total    | EPA 351.2, Rev. 2.0 (1993) |
| Nitrate (as N)              | EPA 353.2, Rev. 2.0 (1993) |
|                             | EPA 300.0, Rev. 2.1 (1993) |
|                             | EPA 9056A                  |
| Nitrate plus Nitrite (as N) | EPA 353.2, Rev. 2.0 (1993) |
|                             | EPA 300.0, Rev. 2.1 (1993) |
| Nitrite (as N)              | EPA 353.2, Rev. 2.0 (1993) |
|                             | EPA 300.0, Rev. 2.1 (1993) |
|                             | EPA 9056A                  |
| Orthophosphate (as P)       | SM 4500-P E-2021           |
| Phosphorus, Total           | EPA 365.4 (Issued 1974)    |

**Perfluorinated Alkyl Acids**

|                |           |
|----------------|-----------|
| 11CI-PF3OUdS   | EPA 1633A |
| 3:3 FTCA       | EPA 1633A |
| 4:2FTS         | EPA 1633A |
| 5:3 FTCA       | EPA 1633A |
| 6:2FTS         | EPA 1633A |
| 7:3 FTCA       | EPA 1633A |
| 8:2FTS         | EPA 1633A |
| 9CI-PF3ONS     | EPA 1633A |
| ADONA          | EPA 1633A |
| HFPO-DA (GenX) | EPA 1633A |
| NEtFOSA        | EPA 1633A |
| NEtFOSAA       | EPA 1633A |
| NEtFOSE        | EPA 1633A |
| NFDHA          | EPA 1633A |

**Serial No.: 73047**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026  
Revised September 16, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**MS. AMANDA CRONIN  
KATAHDIN ANALYTICAL SERVICES, LLC  
600 TECHNOLOGY WAY  
SCARBOROUGH, ME 04074**

**NY Lab Id No: 11121**

is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
**ENVIRONMENTAL ANALYSES NON POTABLE WATER**

All approved analytes are listed below:

**Perfluorinated Alkyl Acids**

|                                           |           |
|-------------------------------------------|-----------|
| NMeFOSA                                   | EPA 1633A |
| NMeFOSAA                                  | EPA 1633A |
| NMeFOSE                                   | EPA 1633A |
| Perfluorotridecanoic Acid (PFTrDA)        | EPA 1633A |
| Perfluorodecanoic Acid (PFDA)             | EPA 1633A |
| Perfluoro-3-Methoxypropanoic Acid (PFMPA) | EPA 1633A |
| Perfluoro-4-Methoxybutanoic Acid (PFMBA)  | EPA 1633A |
| Perfluorobutanesulfonic Acid (PFBS)       | EPA 1633A |
| Perfluorobutanoic Acid (PFBA)             | EPA 1633A |
| Perfluorodecanesulfonic acid (PFDS)       | EPA 1633A |
| Perfluorododecanesulfonic acid (PFDoS)    | EPA 1633A |
| Perfluorododecanoic Acid (PFDoA)          | EPA 1633A |
| Perfluoroheptanesulfonic Acid (PFHpS)     | EPA 1633A |
| Perfluoroheptanoic Acid (PFHpA)           | EPA 1633A |
| Perfluorohexanesulfonic Acid (PFHxS)      | EPA 1633A |
| Perfluorohexanoic Acid (PFHxA)            | EPA 1633A |
| Perfluorononanesulfonic acid (PFNS)       | EPA 1633A |
| Perfluorononanoic Acid (PFNA)             | EPA 1633A |
| Perfluorooctanesulfonamide (PFOSA)        | EPA 1633A |
| Perfluorooctanesulfonic Acid (PFOS)       | EPA 1633A |
| Perfluorooctanoic Acid (PFOA)             | EPA 1633A |
| Perfluoropentanesulfonic Acid (PFPeS)     | EPA 1633A |
| Perfluoropentanoic Acid (PFPeA)           | EPA 1633A |
| Perfluorotetradecanoic Acid (PFTeDA)      | EPA 1633A |
| Perfluoroundecanoic Acid (PFUnA)          | EPA 1633A |
| PFEEA                                     | EPA 1633A |

**Serial No.: 73047**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026  
Revised September 16, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**MS. AMANDA CRONIN  
KATAHDIN ANALYTICAL SERVICES, LLC  
600 TECHNOLOGY WAY  
SCARBOROUGH, ME 04074**

**NY Lab Id No: 11121**

is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
**ENVIRONMENTAL ANALYSES NON POTABLE WATER**

All approved analytes are listed below:

**Petroleum Hydrocarbons**

|                         |                        |
|-------------------------|------------------------|
| Diesel Range Organics   | EPA 8015D<br>EPA 8015C |
| Gasoline Range Organics | EPA 8015D<br>EPA 8015C |

**Phthalate Esters**

|                             |           |
|-----------------------------|-----------|
| Bis(2-ethylhexyl) phthalate | EPA 8270E |
| Butyl benzyl phthalate      | EPA 8270E |
| Diethyl phthalate           | EPA 8270E |
| Dimethyl phthalate          | EPA 8270E |
| Di-n-butyl phthalate        | EPA 8270E |
| Di-n-octyl phthalate        | EPA 8270E |

**Polychlorinated Biphenyls**

|                         |           |
|-------------------------|-----------|
| Aroclor 1016 (PCB-1016) | EPA 8082A |
| Aroclor 1221 (PCB-1221) | EPA 8082A |
| Aroclor 1232 (PCB-1232) | EPA 8082A |
| Aroclor 1242 (PCB-1242) | EPA 8082A |
| Aroclor 1248 (PCB-1248) | EPA 8082A |
| Aroclor 1254 (PCB-1254) | EPA 8082A |
| Aroclor 1260 (PCB-1260) | EPA 8082A |
| Aroclor 1262 (PCB-1262) | EPA 8082A |
| Aroclor 1268 (PCB-1268) | EPA 8082A |

**Polynuclear Aromatics**

|                    |           |
|--------------------|-----------|
| Acenaphthene       | EPA 8270E |
| Acenaphthylene     | EPA 8270E |
| Anthracene         | EPA 8270E |
| Benzo(a)anthracene | EPA 8270E |

**Serial No.: 73047**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026  
Revised September 16, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**MS. AMANDA CRONIN  
KATAHDIN ANALYTICAL SERVICES, LLC  
600 TECHNOLOGY WAY  
SCARBOROUGH, ME 04074**

**NY Lab Id No: 11121**

is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
**ENVIRONMENTAL ANALYSES NON POTABLE WATER**

All approved analytes are listed below:

**Polynuclear Aromatics**

|                        |           |
|------------------------|-----------|
| Benzo(a)pyrene         | EPA 8270E |
| Benzo(b)fluoranthene   | EPA 8270E |
| Benzo(g,h,i)perylene   | EPA 8270E |
| Benzo(k)fluoranthene   | EPA 8270E |
| Chrysene               | EPA 8270E |
| Dibenzo(a,h)anthracene | EPA 8270E |
| Fluoranthene           | EPA 8270E |
| Fluorene               | EPA 8270E |
| Indeno(1,2,3-cd)pyrene | EPA 8270E |
| Naphthalene            | EPA 8270E |
| Phenanthrene           | EPA 8270E |
| Pyrene                 | EPA 8270E |

**Priority Pollutant Phenols**

|                            |           |
|----------------------------|-----------|
| 2,4,5-Trichlorophenol      | EPA 8270E |
| 2,4,6-Trichlorophenol      | EPA 8270E |
| 2,4-Dichlorophenol         | EPA 8270E |
| 2,4-Dimethylphenol         | EPA 8270E |
| 2,4-Dinitrophenol          | EPA 8270E |
| 2,6-Dichlorophenol         | EPA 8270E |
| 2-Chlorophenol             | EPA 8270E |
| 2-Methyl-4,6-dinitrophenol | EPA 8270E |
| 2-Methylphenol (o-Cresol)  | EPA 8270E |
| 2-Nitrophenol              | EPA 8270E |
| 3-Methylphenol (m-Cresol)  | EPA 8270E |
| 4-Chloro-3-methylphenol    | EPA 8270E |
| 4-Methylphenol (p-Cresol)  | EPA 8270E |
| 4-Nitrophenol              | EPA 8270E |

**Serial No.: 73047**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026  
Revised September 16, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**MS. AMANDA CRONIN  
KATAHDIN ANALYTICAL SERVICES, LLC  
600 TECHNOLOGY WAY  
SCARBOROUGH, ME 04074**

**NY Lab Id No: 11121**

is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
**ENVIRONMENTAL ANALYSES NON POTABLE WATER**

All approved analytes are listed below:

**Priority Pollutant Phenols**

|                   |           |
|-------------------|-----------|
| Pentachlorophenol | EPA 8270E |
| Phenol            | EPA 8270E |

**Residue**

|                         |                |
|-------------------------|----------------|
| Settleable Solids       | SM 2540 F-2020 |
| Solids, Total           | SM 2540 B-2020 |
| Solids, Total Dissolved | SM 2540 C-2020 |
| Solids, Total Suspended | SM 2540 D-2020 |

**Semi-Volatile Organics**

|                                    |           |
|------------------------------------|-----------|
| 1,2-Dichlorobenzene, Semi-volatile | EPA 8270E |
| 1,3-Dichlorobenzene, Semi-volatile | EPA 8270E |
| 1,4-Dichlorobenzene, Semi-volatile | EPA 8270E |
| 2-Methylnaphthalene                | EPA 8270E |
| Acetophenone                       | EPA 8270E |
| alpha-Terpineol                    | EPA 8270E |
| Benzaldehyde                       | EPA 8270E |
| Benzoic Acid                       | EPA 8270E |
| Benzyl alcohol                     | EPA 8270E |
| Dibenzofuran                       | EPA 8270E |

**Volatile Aromatics**

|                                  |           |
|----------------------------------|-----------|
| 1,2,4-Trichlorobenzene, Volatile | EPA 8260D |
| 1,2,4-Trimethylbenzene           | EPA 8260D |
| 1,2-Dichlorobenzene              | EPA 8260D |
| 1,3,5-Trimethylbenzene           | EPA 8260D |
| 1,3-Dichlorobenzene              | EPA 8260D |
| 1,4-Dichlorobenzene              | EPA 8260D |
| 2-Chlorotoluene                  | EPA 8260D |

**Serial No.: 73047**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026  
Revised September 16, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**MS. AMANDA CRONIN  
KATAHDIN ANALYTICAL SERVICES, LLC  
600 TECHNOLOGY WAY  
SCARBOROUGH, ME 04074**

**NY Lab Id No: 11121**

is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
**ENVIRONMENTAL ANALYSES NON POTABLE WATER**

All approved analytes are listed below:

**Volatile Aromatics**

|                               |           |
|-------------------------------|-----------|
| 4-Chlorotoluene               | EPA 8260D |
| Benzene                       | EPA 8260D |
| Bromobenzene                  | EPA 8260D |
| Chlorobenzene                 | EPA 8260D |
| Ethyl benzene                 | EPA 8260D |
| Isopropylbenzene              | EPA 8260D |
| m/p-Xylenes                   | EPA 8260D |
| Naphthalene, Volatile         | EPA 8260D |
| n-Butylbenzene                | EPA 8260D |
| n-Propylbenzene               | EPA 8260D |
| o-Xylene                      | EPA 8260D |
| p-Isopropyltoluene (P-Cymene) | EPA 8260D |
| sec-Butylbenzene              | EPA 8260D |
| Styrene                       | EPA 8260D |
| tert-Butylbenzene             | EPA 8260D |
| Toluene                       | EPA 8260D |
| Total Xylenes                 | EPA 8260D |

**Volatile Halocarbons**

|                                       |           |
|---------------------------------------|-----------|
| 1,1,1,2-Tetrachloroethane             | EPA 8260D |
| 1,1,1-Trichloroethane                 | EPA 8260D |
| 1,1,2,2-Tetrachloroethane             | EPA 8260D |
| 1,1,2-Trichloro-1,2,2-Trifluoroethane | EPA 8260D |
| 1,1,2-Trichloroethane                 | EPA 8260D |
| 1,1-Dichloroethane                    | EPA 8260D |
| 1,1-Dichloroethene                    | EPA 8260D |
| 1,1-Dichloropropene                   | EPA 8260D |
| 1,2,3-Trichloropropane                | EPA 8260D |

**Serial No.: 73047**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026  
Revised September 16, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**MS. AMANDA CRONIN  
KATAHDIN ANALYTICAL SERVICES, LLC  
600 TECHNOLOGY WAY  
SCARBOROUGH, ME 04074**

**NY Lab Id No: 11121**

is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
**ENVIRONMENTAL ANALYSES NON POTABLE WATER**

All approved analytes are listed below:

**Volatile Halocarbons**

|                                    |           |
|------------------------------------|-----------|
| 1,2-Dibromo-3-chloropropane (DBCP) | EPA 8260D |
| 1,2-Dibromoethane                  | EPA 8260D |
| 1,2-Dichloroethane                 | EPA 8260D |
| 1,2-Dichloropropane                | EPA 8260D |
| 1,3-Dichloropropane                | EPA 8260D |
| 2,2-Dichloropropane                | EPA 8260D |
| 2-Chloroethylvinyl ether           | EPA 8260D |
| Bromochloromethane                 | EPA 8260D |
| Bromodichloromethane               | EPA 8260D |
| Bromoform                          | EPA 8260D |
| Bromomethane                       | EPA 8260D |
| Carbon tetrachloride               | EPA 8260D |
| Chloroethane                       | EPA 8260D |
| Chloroform                         | EPA 8260D |
| Chloromethane                      | EPA 8260D |
| cis-1,2-Dichloroethene             | EPA 8260D |
| cis-1,3-Dichloropropene            | EPA 8260D |
| Dibromochloromethane               | EPA 8260D |
| Dibromomethane                     | EPA 8260D |
| Dichlorodifluoromethane            | EPA 8260D |
| Methylene chloride                 | EPA 8260D |
| Tetrachloroethene                  | EPA 8260D |
| trans-1,2-Dichloroethene           | EPA 8260D |
| trans-1,3-Dichloropropene          | EPA 8260D |
| Trichloroethene                    | EPA 8260D |
| Trichlorofluoromethane             | EPA 8260D |
| Vinyl chloride                     | EPA 8260D |

**Serial No.: 73047**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026  
Revised September 16, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**MS. AMANDA CRONIN  
KATAHDIN ANALYTICAL SERVICES, LLC  
600 TECHNOLOGY WAY  
SCARBOROUGH, ME 04074**

**NY Lab Id No: 11121**

is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
**ENVIRONMENTAL ANALYSES NON POTABLE WATER**

All approved analytes are listed below:

**Volatiles Organics**

|                                        |               |
|----------------------------------------|---------------|
| 1,4-Dioxane                            | EPA 8260D     |
|                                        | EPA 8270E SIM |
| 2-Butanone (Methyl ethyl ketone (MEK)) | EPA 8260D     |
| 2-Hexanone                             | EPA 8260D     |
| 4-Methyl-2-Pentanone                   | EPA 8260D     |
| Acetone                                | EPA 8260D     |
| Carbon Disulfide                       | EPA 8260D     |
| Vinyl acetate                          | EPA 8260D     |

**Sample Preparation Methods**

EPA 5030C  
EPA 3010A  
EPA 3510C  
EPA 3520C



**Serial No.: 73047**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026  
Revised September 16, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**MS. AMANDA CRONIN  
KATAHDIN ANALYTICAL SERVICES, LLC  
600 TECHNOLOGY WAY  
SCARBOROUGH, ME 04074**

**NY Lab Id No: 11121**

is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
**ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE**

All approved analytes are listed below:

**Amines**

|                 |           |
|-----------------|-----------|
| 2-Nitroaniline  | EPA 8270E |
| 3-Nitroaniline  | EPA 8270E |
| 4-Chloroaniline | EPA 8270E |
| 4-Nitroaniline  | EPA 8270E |
| Carbazole       | EPA 8270E |

**Benzidines**

|                        |           |
|------------------------|-----------|
| 3,3'-Dichlorobenzidine | EPA 8270E |
| Benzidine              | EPA 8270E |

**Characteristic Testing**

|                                        |           |
|----------------------------------------|-----------|
| Corrosivity (pH)                       | EPA 9045D |
| Free Liquids                           | EPA 9095B |
| Ignitability                           | EPA 1010A |
| Synthetic Precipitation Leaching Proc. | EPA 1312  |
| TCLP                                   | EPA 1311  |

**Chlorinated Hydrocarbon Pesticides**

|                 |           |
|-----------------|-----------|
| 4,4'-DDD        | EPA 8081B |
| 4,4'-DDE        | EPA 8081B |
| 4,4'-DDT        | EPA 8081B |
| Aldrin          | EPA 8081B |
| alpha-BHC       | EPA 8081B |
| alpha-Chlordane | EPA 8081B |
| beta-BHC        | EPA 8081B |
| Chlordane Total | EPA 8081B |
| delta-BHC       | EPA 8081B |
| Dieldrin        | EPA 8081B |
| Endosulfan I    | EPA 8081B |

**Serial No.: 73048**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026  
Revised September 16, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**MS. AMANDA CRONIN  
KATAHDIN ANALYTICAL SERVICES, LLC  
600 TECHNOLOGY WAY  
SCARBOROUGH, ME 04074**

**NY Lab Id No: 11121**

is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
**ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE**

All approved analytes are listed below:

**Chlorinated Hydrocarbon Pesticides**

|                    |           |
|--------------------|-----------|
| Endosulfan II      | EPA 8081B |
| Endosulfan sulfate | EPA 8081B |
| Endrin             | EPA 8081B |
| Endrin aldehyde    | EPA 8081B |
| Endrin ketone      | EPA 8081B |
| Heptachlor         | EPA 8081B |
| Heptachlor epoxide | EPA 8081B |
| Lindane            | EPA 8081B |
| Methoxychlor       | EPA 8081B |
| Toxaphene          | EPA 8081B |
| trans-Chlordane    | EPA 8081B |

**Chlorinated Hydrocarbons**

|                            |           |
|----------------------------|-----------|
| 1,2,4,5-Tetrachlorobenzene | EPA 8270E |
| 1,2,4-Trichlorobenzene     | EPA 8270E |
| 2-Chloronaphthalene        | EPA 8270E |
| Hexachlorobenzene          | EPA 8270E |
| Hexachlorobutadiene        | EPA 8270E |
| Hexachlorocyclopentadiene  | EPA 8270E |
| Hexachloroethane           | EPA 8270E |

**Chlorophenoxy Acid Pesticides**

|                   |           |
|-------------------|-----------|
| 2,4,5-T           | EPA 8151A |
| 2,4,5-TP (Silvex) | EPA 8151A |
| 2,4-D             | EPA 8151A |
| 2,4-DB            | EPA 8151A |
| Dalapon           | EPA 8151A |
| Dicamba           | EPA 8151A |

**Serial No.: 73048**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026  
Revised September 16, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**MS. AMANDA CRONIN  
KATAHDIN ANALYTICAL SERVICES, LLC  
600 TECHNOLOGY WAY  
SCARBOROUGH, ME 04074**

**NY Lab Id No: 11121**

is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
**ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE**

All approved analytes are listed below:

**Chlorophenoxy Acid Pesticides**

|                   |           |
|-------------------|-----------|
| Dichloroprop      | EPA 8151A |
| Dinoseb           | EPA 8151A |
| MCPA              | EPA 8151A |
| MCPP              | EPA 8151A |
| Pentachlorophenol | EPA 8151A |

**Haloethers**

|                              |           |
|------------------------------|-----------|
| 2,2'-Oxybis(1-chloropropane) | EPA 8270E |
| 4-Bromophenyl phenyl ether   | EPA 8270E |
| 4-Chlorophenylphenyl ether   | EPA 8270E |
| Bis(2-chloroethoxy)methane   | EPA 8270E |
| Bis(2-chloroethyl)ether      | EPA 8270E |

**Low Level Polynuclear Aromatic Hydrocarbons**

|                                  |               |
|----------------------------------|---------------|
| Acenaphthene Low Level           | EPA 8270E SIM |
| Acenaphthylene Low Level         | EPA 8270E SIM |
| Anthracene Low Level             | EPA 8270E SIM |
| Benzo(a)anthracene Low Level     | EPA 8270E SIM |
| Benzo(a)pyrene Low Level         | EPA 8270E SIM |
| Benzo(b)fluoranthene Low Level   | EPA 8270E SIM |
| Benzo(g,h,i)perylene Low Level   | EPA 8270E SIM |
| Benzo(k)fluoranthene Low Level   | EPA 8270E SIM |
| Chrysene Low Level               | EPA 8270E SIM |
| Dibenzo(a,h)anthracene Low Level | EPA 8270E SIM |
| Fluoranthene Low Level           | EPA 8270E SIM |
| Fluorene Low Level               | EPA 8270E SIM |
| Indeno(1,2,3-cd)pyrene Low Level | EPA 8270E SIM |
| Naphthalene Low Level            | EPA 8270E SIM |

**Serial No.: 73048**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026  
Revised September 16, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**MS. AMANDA CRONIN  
KATAHDIN ANALYTICAL SERVICES, LLC  
600 TECHNOLOGY WAY  
SCARBOROUGH, ME 04074**

**NY Lab Id No: 11121**

is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
**ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE**

All approved analytes are listed below:

**Low Level Polynuclear Aromatic Hydrocarbons**

|                        |               |
|------------------------|---------------|
| Phenanthrene Low Level | EPA 8270E SIM |
| Pyrene Low Level       | EPA 8270E SIM |

**Metals I**

|                  |                        |
|------------------|------------------------|
| Barium, Total    | EPA 6010D<br>EPA 6020B |
| Cadmium, Total   | EPA 6010D<br>EPA 6020B |
| Calcium, Total   | EPA 6010D<br>EPA 6020B |
| Chromium, Total  | EPA 6010D<br>EPA 6020B |
| Copper, Total    | EPA 6010D<br>EPA 6020B |
| Iron, Total      | EPA 6010D<br>EPA 6020B |
| Lead, Total      | EPA 6010D<br>EPA 6020B |
| Magnesium, Total | EPA 6010D<br>EPA 6020B |
| Manganese, Total | EPA 6010D<br>EPA 6020B |
| Nickel, Total    | EPA 6010D<br>EPA 6020B |
| Potassium, Total | EPA 6010D<br>EPA 6020B |
| Silver, Total    | EPA 6010D<br>EPA 6020B |

**Serial No.: 73048**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026  
Revised September 16, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**MS. AMANDA CRONIN  
KATAHDIN ANALYTICAL SERVICES, LLC  
600 TECHNOLOGY WAY  
SCARBOROUGH, ME 04074**

**NY Lab Id No: 11121**

is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
**ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE**

All approved analytes are listed below:

**Metals I**

|                  |                        |
|------------------|------------------------|
| Sodium, Total    | EPA 6010D<br>EPA 6020B |
| Strontium, Total | EPA 6010D<br>EPA 6020B |

**Metals II**

|                  |                        |
|------------------|------------------------|
| Aluminum, Total  | EPA 6010D<br>EPA 6020B |
| Antimony, Total  | EPA 6010D<br>EPA 6020B |
| Arsenic, Total   | EPA 6010D<br>EPA 6020B |
| Beryllium, Total | EPA 6010D<br>EPA 6020B |
| Chromium VI      | EPA 7196A              |
| Mercury, Total   | EPA 7471B              |
| Selenium, Total  | EPA 6010D<br>EPA 6020B |
| Vanadium, Total  | EPA 6010D<br>EPA 6020B |
| Zinc, Total      | EPA 6010D<br>EPA 6020B |

**Metals III**

|                   |                        |
|-------------------|------------------------|
| Cobalt, Total     | EPA 6010D<br>EPA 6020B |
| Molybdenum, Total | EPA 6010D<br>EPA 6020B |

**Serial No.: 73048**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026  
Revised September 16, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**MS. AMANDA CRONIN  
KATAHDIN ANALYTICAL SERVICES, LLC  
600 TECHNOLOGY WAY  
SCARBOROUGH, ME 04074**

**NY Lab Id No: 11121**

is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
**ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE**

All approved analytes are listed below:

**Metals III**

|                   |           |
|-------------------|-----------|
| Silica, Dissolved | EPA 6010D |
| Thallium, Total   | EPA 6010D |
|                   | EPA 6020B |
| Tin, Total        | EPA 6010D |
|                   | EPA 6020B |
| Titanium, Total   | EPA 6010D |

**Minerals**

|                               |          |
|-------------------------------|----------|
| Chloride                      | EPA 9251 |
| Sulfate (as SO <sub>4</sub> ) | EPA 9038 |

**Miscellaneous**

|                       |                   |
|-----------------------|-------------------|
| Boron, Total          | EPA 6010D         |
| Cyanide, Total        | EPA 9012B         |
| Organic Carbon, Total | Lloyd Kahn Method |
|                       | EPA 9060A         |

**Nitroaromatics and Isophorone**

|                              |           |
|------------------------------|-----------|
| 2,4-Dinitrotoluene (2,4-DNT) | EPA 8270E |
| 2,6-Dinitrotoluene (2,6-DNT) | EPA 8270E |
| Isophorone                   | EPA 8270E |
| Nitrobenzene                 | EPA 8270E |
| Pyridine                     | EPA 8270E |

**Nitrosoamines**

|                           |           |
|---------------------------|-----------|
| N-Nitrosodimethylamine    | EPA 8270E |
| N-Nitrosodi-n-propylamine | EPA 8270E |
| N-Nitrosomethylethylamine | EPA 8270E |

**Serial No.: 73048**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026  
Revised September 16, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**MS. AMANDA CRONIN  
KATAHDIN ANALYTICAL SERVICES, LLC  
600 TECHNOLOGY WAY  
SCARBOROUGH, ME 04074**

**NY Lab Id No: 11121**

is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
**ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE**

All approved analytes are listed below:

**Perfluorinated Alkyl Acids**

|                                           |           |
|-------------------------------------------|-----------|
| 11CI-PF3OUdS                              | EPA 1633A |
| 3:3 FTCA                                  | EPA 1633A |
| 4:2FTS                                    | EPA 1633A |
| 5:3 FTCA                                  | EPA 1633A |
| 6:2FTS                                    | EPA 1633A |
| 7:3 FTCA                                  | EPA 1633A |
| 8:2FTS                                    | EPA 1633A |
| 9CI-PF3ONS                                | EPA 1633A |
| ADONA                                     | EPA 1633A |
| HFPO-DA (GenX)                            | EPA 1633A |
| NEtFOSA                                   | EPA 1633A |
| NEtFOSAA                                  | EPA 1633A |
| NEtFOSE                                   | EPA 1633A |
| NFDHA                                     | EPA 1633A |
| NMeFOSA                                   | EPA 1633A |
| NMeFOSAA                                  | EPA 1633A |
| NMeFOSE                                   | EPA 1633A |
| Perfluorotridecanoic Acid (PFTrDA)        | EPA 1633A |
| Perfluorodecanoic Acid (PFDA)             | EPA 1633A |
| Perfluoro-3-Methoxypropanoic Acid (PFMPA) | EPA 1633A |
| Perfluoro-4-Methoxybutanoic Acid (PFMBA)  | EPA 1633A |
| Perfluorobutanesulfonic Acid (PFBS)       | EPA 1633A |
| Perfluorobutanoic Acid (PFBA)             | EPA 1633A |
| Perfluorodecanesulfonic acid (PFDS)       | EPA 1633A |
| Perfluorododecanesulfonic acid (PFDoS)    | EPA 1633A |
| Perfluorododecanoic Acid (PFDoA)          | EPA 1633A |
| Perfluoroheptanesulfonic Acid (PFHpS)     | EPA 1633A |

**Serial No.: 73048**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026  
Revised September 16, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**MS. AMANDA CRONIN  
KATAHDIN ANALYTICAL SERVICES, LLC  
600 TECHNOLOGY WAY  
SCARBOROUGH, ME 04074**

**NY Lab Id No: 11121**

is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
**ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE**

All approved analytes are listed below:

**Perfluorinated Alkyl Acids**

|                                       |           |
|---------------------------------------|-----------|
| Perfluoroheptanoic Acid (PFHpA)       | EPA 1633A |
| Perfluorohexanesulfonic Acid (PFHxS)  | EPA 1633A |
| Perfluorohexanoic Acid (PFHxA)        | EPA 1633A |
| Perfluorononanesulfonic acid (PFNS)   | EPA 1633A |
| Perfluorononanoic Acid (PFNA)         | EPA 1633A |
| Perfluorooctanesulfonamide (PFOSA)    | EPA 1633A |
| Perfluorooctanesulfonic Acid (PFOS)   | EPA 1633A |
| Perfluorooctanoic Acid (PFOA)         | EPA 1633A |
| Perfluoropentanesulfonic Acid (PFPeS) | EPA 1633A |
| Perfluoropentanoic Acid (PFPeA)       | EPA 1633A |
| Perfluorotetradecanoic Acid (PFTeDA)  | EPA 1633A |
| Perfluoroundecanoic Acid (PFUnA)      | EPA 1633A |
| PFEESA                                | EPA 1633A |

**Petroleum Hydrocarbons**

|                                  |                            |
|----------------------------------|----------------------------|
| Diesel Range Organics            | EPA 8015D<br>EPA 8015C     |
| Gasoline Range Organics          | EPA 8015D<br>EPA 8015C     |
| Oil and Grease Total Recoverable | EPA 9071B (Solvent:Hexane) |

**Phthalate Esters**

|                             |           |
|-----------------------------|-----------|
| Bis(2-ethylhexyl) phthalate | EPA 8270E |
| Butyl benzyl phthalate      | EPA 8270E |
| Diethyl phthalate           | EPA 8270E |
| Dimethyl phthalate          | EPA 8270E |
| Di-n-butyl phthalate        | EPA 8270E |
| Di-n-octyl phthalate        | EPA 8270E |

**Serial No.: 73048**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026  
Revised September 16, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**MS. AMANDA CRONIN  
KATAHDIN ANALYTICAL SERVICES, LLC  
600 TECHNOLOGY WAY  
SCARBOROUGH, ME 04074**

**NY Lab Id No: 11121**

is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
**ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE**

All approved analytes are listed below:

**Polychlorinated Biphenyls**

|                         |           |
|-------------------------|-----------|
| Aroclor 1016 (PCB-1016) | EPA 8082A |
| Aroclor 1221 (PCB-1221) | EPA 8082A |
| Aroclor 1232 (PCB-1232) | EPA 8082A |
| Aroclor 1242 (PCB-1242) | EPA 8082A |
| Aroclor 1248 (PCB-1248) | EPA 8082A |
| Aroclor 1254 (PCB-1254) | EPA 8082A |
| Aroclor 1260 (PCB-1260) | EPA 8082A |
| Aroclor 1262 (PCB-1262) | EPA 8082A |
| Aroclor 1268 (PCB-1268) | EPA 8082A |

**Polynuclear Aromatic Hydrocarbons**

|                        |           |
|------------------------|-----------|
| Acenaphthene           | EPA 8270E |
| Acenaphthylene         | EPA 8270E |
| Anthracene             | EPA 8270E |
| Benzo(a)anthracene     | EPA 8270E |
| Benzo(a)pyrene         | EPA 8270E |
| Benzo(b)fluoranthene   | EPA 8270E |
| Benzo(g,h,i)perylene   | EPA 8270E |
| Benzo(k)fluoranthene   | EPA 8270E |
| Chrysene               | EPA 8270E |
| Dibenzo(a,h)anthracene | EPA 8270E |
| Fluoranthene           | EPA 8270E |
| Fluorene               | EPA 8270E |
| Indeno(1,2,3-cd)pyrene | EPA 8270E |
| Naphthalene            | EPA 8270E |
| Phenanthrene           | EPA 8270E |
| Pyrene                 | EPA 8270E |

**Serial No.: 73048**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026  
Revised September 16, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**MS. AMANDA CRONIN  
KATAHDIN ANALYTICAL SERVICES, LLC  
600 TECHNOLOGY WAY  
SCARBOROUGH, ME 04074**

**NY Lab Id No: 11121**

is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
**ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE**

All approved analytes are listed below:

**Priority Pollutant Phenols**

|                            |           |
|----------------------------|-----------|
| 2,4,5-Trichlorophenol      | EPA 8270E |
| 2,4,6-Trichlorophenol      | EPA 8270E |
| 2,4-Dichlorophenol         | EPA 8270E |
| 2,4-Dimethylphenol         | EPA 8270E |
| 2,4-Dinitrophenol          | EPA 8270E |
| 2,6-Dichlorophenol         | EPA 8270E |
| 2-Chlorophenol             | EPA 8270E |
| 2-Methyl-4,6-dinitrophenol | EPA 8270E |
| 2-Methylphenol (o-Cresol)  | EPA 8270E |
| 2-Nitrophenol              | EPA 8270E |
| 3-Methylphenol (m-Cresol)  | EPA 8270E |
| 4-Chloro-3-methylphenol    | EPA 8270E |
| 4-Methylphenol (p-Cresol)  | EPA 8270E |
| 4-Nitrophenol              | EPA 8270E |
| Pentachlorophenol          | EPA 8270E |
| Phenol                     | EPA 8270E |

**Semi-Volatile Organics**

|                                    |           |
|------------------------------------|-----------|
| 1,2-Dichlorobenzene, Semi-volatile | EPA 8270E |
| 1,3-Dichlorobenzene, Semi-volatile | EPA 8270E |
| 1,4-Dichlorobenzene, Semi-volatile | EPA 8270E |
| 2-Methylnaphthalene                | EPA 8270E |
| Acetophenone                       | EPA 8270E |
| Benzyl alcohol                     | EPA 8270E |
| Dibenzofuran                       | EPA 8270E |

**Volatile Aromatics**

|                                  |           |
|----------------------------------|-----------|
| 1,2,4-Trichlorobenzene, Volatile | EPA 8260D |
|----------------------------------|-----------|

**Serial No.: 73048**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026  
Revised September 16, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**MS. AMANDA CRONIN  
KATAHDIN ANALYTICAL SERVICES, LLC  
600 TECHNOLOGY WAY  
SCARBOROUGH, ME 04074**

**NY Lab Id No: 11121**

is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
**ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE**

All approved analytes are listed below:

**Volatile Aromatics**

|                               |           |
|-------------------------------|-----------|
| 1,2-Dichlorobenzene           | EPA 8260D |
| 1,3-Dichlorobenzene           | EPA 8260D |
| 1,4-Dichlorobenzene           | EPA 8260D |
| Benzene                       | EPA 8260D |
| Bromobenzene                  | EPA 8260D |
| Chlorobenzene                 | EPA 8260D |
| Ethyl benzene                 | EPA 8260D |
| Isopropylbenzene              | EPA 8260D |
| m/p-Xylenes                   | EPA 8260D |
| Naphthalene, Volatile         | EPA 8260D |
| n-Propylbenzene               | EPA 8260D |
| o-Xylene                      | EPA 8260D |
| p-Isopropyltoluene (P-Cymene) | EPA 8260D |
| Styrene                       | EPA 8260D |
| Toluene                       | EPA 8260D |
| Total Xylenes                 | EPA 8260D |

**Volatile Halocarbons**

|                                    |           |
|------------------------------------|-----------|
| 1,1,1,2-Tetrachloroethane          | EPA 8260D |
| 1,1,1-Trichloroethane              | EPA 8260D |
| 1,1,2,2-Tetrachloroethane          | EPA 8260D |
| 1,1,2-Trichloroethane              | EPA 8260D |
| 1,1-Dichloroethane                 | EPA 8260D |
| 1,1-Dichloroethene                 | EPA 8260D |
| 1,2,3-Trichloropropane             | EPA 8260D |
| 1,2-Dibromo-3-chloropropane (DBCP) | EPA 8260D |
| 1,2-Dibromoethane                  | EPA 8260D |
| 1,2-Dichloroethane                 | EPA 8260D |

**Serial No.: 73048**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026  
Revised September 16, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**MS. AMANDA CRONIN  
KATAHDIN ANALYTICAL SERVICES, LLC  
600 TECHNOLOGY WAY  
SCARBOROUGH, ME 04074**

**NY Lab Id No: 11121**

is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
**ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE**

All approved analytes are listed below:

**Volatile Halocarbons**

|                               |           |
|-------------------------------|-----------|
| 1,2-Dichloropropane           | EPA 8260D |
| 2-Chloroethylvinyl ether      | EPA 8260D |
| Bromochloromethane            | EPA 8260D |
| Bromodichloromethane          | EPA 8260D |
| Bromoform                     | EPA 8260D |
| Bromomethane                  | EPA 8260D |
| Carbon tetrachloride          | EPA 8260D |
| Chloroethane                  | EPA 8260D |
| Chloroform                    | EPA 8260D |
| Chloromethane                 | EPA 8260D |
| cis-1,2-Dichloroethene        | EPA 8260D |
| cis-1,3-Dichloropropene       | EPA 8260D |
| Dibromochloromethane          | EPA 8260D |
| Dibromomethane                | EPA 8260D |
| Dichlorodifluoromethane       | EPA 8260D |
| Hexachlorobutadiene, Volatile | EPA 8260D |
| Methylene chloride            | EPA 8260D |
| Tetrachloroethene             | EPA 8260D |
| trans-1,2-Dichloroethene      | EPA 8260D |
| trans-1,3-Dichloropropene     | EPA 8260D |
| Trichloroethene               | EPA 8260D |
| Trichlorofluoromethane        | EPA 8260D |
| Vinyl chloride                | EPA 8260D |

**Volatile Organics**

|                                        |               |
|----------------------------------------|---------------|
| 1,4-Dioxane                            | EPA 8260D     |
|                                        | EPA 8270E SIM |
| 2-Butanone (Methyl ethyl ketone (MEK)) | EPA 8260D     |

**Serial No.: 73048**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026  
Revised September 16, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**MS. AMANDA CRONIN  
KATAHDIN ANALYTICAL SERVICES, LLC  
600 TECHNOLOGY WAY  
SCARBOROUGH, ME 04074**

**NY Lab Id No: 11121**

is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
**ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE**

All approved analytes are listed below:

**Volatile Organics**

|                         |           |
|-------------------------|-----------|
| 2-Hexanone              | EPA 8260D |
| 4-Methyl-2-Pentanone    | EPA 8260D |
| Acetone                 | EPA 8260D |
| Acetonitrile            | EPA 8260D |
| Carbon Disulfide        | EPA 8260D |
| Di-ethyl ether          | EPA 8260D |
| Methyl acetate          | EPA 8260D |
| Methyl cyclohexane      | EPA 8260D |
| Methyl tert-butyl ether | EPA 8260D |
| Vinyl acetate           | EPA 8260D |

**Sample Preparation Methods**

EPA 5035A-L  
EPA 5035A-H  
EPA 3010A  
EPA 3050B  
EPA 3550C  
EPA 3540C  
EPA 3546  
EPA 3545A  
EPA 3060A

**Serial No.: 73048**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).

