

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026
Issued April 01, 2025

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. GREG DICKINSON
SGS NORTH AMERICA INC. - WILMINGTON
5500 BUSINESS DRIVE
WILMINGTON, NC 28405

NY Lab Id No: 11685

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES AIR AND EMISSIONS
All approved analytes are listed below:*

Dioxins and Furans

1,2,3,4,6,7,8,9-Octachlorodibenzofura EPA 23
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-d EPA 23
1,2,3,4,6,7,8-Heptachlorodibenzofurar EPA 23
1,2,3,4,6,7,8-Heptachlorodibenzo-p-di EPA 23
1,2,3,4,7,8,9-Heptachlorodibenzofurar EPA 23
1,2,3,4,7,8-Hexachlorodibenzofuran EPA 23
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxi EPA 23
1,2,3,6,7,8-Hexachlorodibenzofuran EPA 23
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxi EPA 23
1,2,3,7,8,9-Hexachlorodibenzofuran EPA 23
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxi EPA 23
1,2,3,7,8-Pentachlorodibenzofuran EPA 23
1,2,3,7,8-Pentachlorodibenzo-p-dioxin EPA 23
2,3,4,6,7,8-Hexachlorodibenzofuran EPA 23
2,3,4,7,8-Pentachlorodibenzofuran EPA 23
2,3,7,8-Tetrachlorodibenzofuran EPA 23
2,3,7,8-Tetrachlorodibenzo-p-dioxin EPA 23



Serial No.: 70576

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026
Issued April 01, 2025
Revised September 23, 2025

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. GREG DICKINSON
SGS NORTH AMERICA INC. - WILMINGTON
5500 BUSINESS DRIVE
WILMINGTON, NC 28405

NY Lab Id No: 11685

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Dioxins and Furans

1,2,3,4,6,7,8,9-Octachlorodibenzofura	EPA 8290A
	EPA 1613B
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-d	EPA 8290A
	EPA 1613B
1,2,3,4,6,7,8-Heptachlorodibenzofurar	EPA 8290A
	EPA 1613B
1,2,3,4,6,7,8-Heptachlorodibenzo-p-di	EPA 8290A
	EPA 1613B
1,2,3,4,7,8,9-Heptachlorodibenzofurar	EPA 8290A
	EPA 1613B
1,2,3,4,7,8-Hexachlorodibenzofuran	EPA 8290A
	EPA 1613B
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxi	EPA 8290A
	EPA 1613B
1,2,3,6,7,8-Hexachlorodibenzofuran	EPA 8290A
	EPA 1613B
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxi	EPA 8290A
	EPA 1613B
1,2,3,7,8,9-Hexachlorodibenzofuran	EPA 8290A
	EPA 1613B
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxi	EPA 8290A
	EPA 1613B
1,2,3,7,8-Pentachlorodibenzofuran	EPA 8290A
	EPA 1613B
1,2,3,7,8-Pentachlorodibenzo-p-dioxin	EPA 8290A
	EPA 1613B
2,3,4,6,7,8-Hexachlorodibenzofuran	EPA 8290A

Serial No.: 71298

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026
Issued April 01, 2025
Revised September 23, 2025

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. GREG DICKINSON
SGS NORTH AMERICA INC. - WILMINGTON
5500 BUSINESS DRIVE
WILMINGTON, NC 28405

NY Lab Id No: 11685

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Dioxins and Furans

2,3,4,6,7,8-Hexachlorodibenzofuran	EPA 1613B
2,3,4,7,8-Pentachlorodibenzofuran	EPA 8290A
	EPA 1613B
2,3,7,8-Tetrachlorodibenzofuran	EPA 8290A
	EPA 1613B
2,3,7,8-Tetrachlorodibenzo-p-dioxin	EPA 8290A
	EPA 1613B

Perfluorinated Alkyl Acids

11CI-PF3OUdS	EPA 1633A
3:3 FTCA	EPA 1633A
4:2FTS	EPA 1633A
5:3 FTCA	EPA 1633A
6:2FTS	EPA 1633A
7:3 FTCA	EPA 1633A
8:2FTS	EPA 1633A
9CI-PF3ONS	EPA 1633A
ADONA	EPA 1633A
HFPO-DA (GenX)	EPA 1633A
NEtFOSA	EPA 1633A
NEtFOSAA	EPA 1633A
NEtFOSE	EPA 1633A
NFDHA	EPA 1633A
NMeFOSA	EPA 1633A
NMeFOSAA	EPA 1633A
NMeFOSE	EPA 1633A
Perflourotridecanoic Acid (PFTTrDA)	EPA 1633A
Perfluordecanoic Acid (PFDA)	EPA 1633A

Serial No.: 71298

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026
Issued April 01, 2025
Revised September 23, 2025

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. GREG DICKINSON
SGS NORTH AMERICA INC. - WILMINGTON
5500 BUSINESS DRIVE
WILMINGTON, NC 28405

NY Lab Id No: 11685

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Perfluorinated Alkyl Acids

Perfluoro-3-Methoxypropanoic Acid (F EPA 1633A
Perfluoro-4-Methoxybutanoic Acid (PF EPA 1633A
Perfluorobutanesulfonic Acid (PFBS) EPA 1633A
Perfluorobutanoic Acid (PFBA) EPA 1633A
Perfluorodecanesulfonic acid (PFDS) EPA 1633A
Perfluorododecanesulfonic acid (PFDoA) EPA 1633A
Perfluorododecanoic Acid (PFDoA) EPA 1633A
Perfluoroheptanesulfonic Acid (PFHpS) EPA 1633A
Perfluoroheptanoic Acid (PFHpA) EPA 1633A
Perfluorohexanesulfonic Acid (PFHxS) EPA 1633A
Perfluorohexanoic Acid (PFHxA) EPA 1633A
Perfluorononanesulfonic acid (PFNS) EPA 1633A
Perfluorononanoic Acid (PFNA) EPA 1633A
Perfluorooctanesulfonamide (PFOSA) EPA 1633A
Perfluorooctanesulfonic Acid (PFOS) EPA 1633A
Perfluorooctanoic Acid (PFOA) EPA 1633A
Perfluoropentanesulfonic Acid (PFPeS) EPA 1633A
Perfluoropentanoic Acid (PFPeA) EPA 1633A
Perfluorotetradecanoic Acid (PFTeDA) EPA 1633A
Perfluoroundecanoic Acid (PFUnA) EPA 1633A
PFEEA EPA 1633A

Polychlorinated Biphenyls

Aroclor 1016 (PCB-1016) EPA 8082A
EPA 608.3
Aroclor 1221 (PCB-1221) EPA 8082A
EPA 608.3
Aroclor 1232 (PCB-1232) EPA 8082A

Serial No.: 71298

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026
Issued April 01, 2025
Revised September 23, 2025

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. GREG DICKINSON
SGS NORTH AMERICA INC. - WILMINGTON
5500 BUSINESS DRIVE
WILMINGTON, NC 28405

NY Lab Id No: 11685

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Polychlorinated Biphenyls

Aroclor 1232 (PCB-1232)	EPA 608.3
Aroclor 1242 (PCB-1242)	EPA 8082A
	EPA 608.3
Aroclor 1248 (PCB-1248)	EPA 8082A
	EPA 608.3
Aroclor 1254 (PCB-1254)	EPA 8082A
	EPA 608.3
Aroclor 1260 (PCB-1260)	EPA 8082A
	EPA 608.3
PCB 1	EPA 1668A
PCB 10	EPA 1668A
PCB 100	EPA 1668A
PCB 101	EPA 1668A
PCB 102	EPA 1668A
PCB 103	EPA 1668A
PCB 104	EPA 1668A
PCB 105	EPA 1668A
PCB 106	EPA 1668A
PCB 107	EPA 1668A
PCB 108	EPA 1668A
PCB 109	EPA 1668A
PCB 11	EPA 1668A
PCB 110	EPA 1668A
PCB 111	EPA 1668A
PCB 112	EPA 1668A
PCB 113	EPA 1668A
PCB 114	EPA 1668A



Serial No.: 71298

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026
Issued April 01, 2025
Revised September 23, 2025

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. GREG DICKINSON
SGS NORTH AMERICA INC. - WILMINGTON
5500 BUSINESS DRIVE
WILMINGTON, NC 28405

NY Lab Id No: 11685

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Polychlorinated Biphenyls

PCB 115	EPA 1668A
PCB 116	EPA 1668A
PCB 117	EPA 1668A
PCB 118	EPA 1668A
PCB 119	EPA 1668A
PCB 12	EPA 1668A
PCB 120	EPA 1668A
PCB 121	EPA 1668A
PCB 122	EPA 1668A
PCB 123	EPA 1668A
PCB 124	EPA 1668A
PCB 125	EPA 1668A
PCB 126	EPA 1668A
PCB 127	EPA 1668A
PCB 128	EPA 1668A
PCB 129	EPA 1668A
PCB 13	EPA 1668A
PCB 130	EPA 1668A
PCB 131	EPA 1668A
PCB 132	EPA 1668A
PCB 133	EPA 1668A
PCB 134	EPA 1668A
PCB 135	EPA 1668A
PCB 136	EPA 1668A
PCB 137	EPA 1668A
PCB 138	EPA 1668A
PCB 139	EPA 1668A

Serial No.: 71298

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026
Issued April 01, 2025
Revised September 23, 2025

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. GREG DICKINSON
SGS NORTH AMERICA INC. - WILMINGTON
5500 BUSINESS DRIVE
WILMINGTON, NC 28405

NY Lab Id No: 11685

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Polychlorinated Biphenyls

PCB 14	EPA 1668A
PCB 140	EPA 1668A
PCB 141	EPA 1668A
PCB 142	EPA 1668A
PCB 143	EPA 1668A
PCB 144	EPA 1668A
PCB 145	EPA 1668A
PCB 146	EPA 1668A
PCB 147	EPA 1668A
PCB 148	EPA 1668A
PCB 149	EPA 1668A
PCB 15	EPA 1668A
PCB 150	EPA 1668A
PCB 151	EPA 1668A
PCB 152	EPA 1668A
PCB 153	EPA 1668A
PCB 154	EPA 1668A
PCB 155	EPA 1668A
PCB 156	EPA 1668A
PCB 157	EPA 1668A
PCB 158	EPA 1668A
PCB 159	EPA 1668A
PCB 16	EPA 1668A
PCB 160	EPA 1668A
PCB 161	EPA 1668A
PCB 162	EPA 1668A
PCB 163	EPA 1668A



Serial No.: 71298

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026
Issued April 01, 2025
Revised September 23, 2025

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. GREG DICKINSON
SGS NORTH AMERICA INC. - WILMINGTON
5500 BUSINESS DRIVE
WILMINGTON, NC 28405

NY Lab Id No: 11685

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Polychlorinated Biphenyls

PCB 164	EPA 1668A
PCB 165	EPA 1668A
PCB 166	EPA 1668A
PCB 167	EPA 1668A
PCB 168	EPA 1668A
PCB 169	EPA 1668A
PCB 17	EPA 1668A
PCB 170	EPA 1668A
PCB 171	EPA 1668A
PCB 172	EPA 1668A
PCB 173	EPA 1668A
PCB 174	EPA 1668A
PCB 175	EPA 1668A
PCB 176	EPA 1668A
PCB 177	EPA 1668A
PCB 178	EPA 1668A
PCB 179	EPA 1668A
PCB 18	EPA 1668A
PCB 180	EPA 1668A
PCB 181	EPA 1668A
PCB 182	EPA 1668A
PCB 183	EPA 1668A
PCB 184	EPA 1668A
PCB 185	EPA 1668A
PCB 186	EPA 1668A
PCB 187	EPA 1668A
PCB 188	EPA 1668A



Serial No.: 71298

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026
Issued April 01, 2025
Revised September 23, 2025

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. GREG DICKINSON
SGS NORTH AMERICA INC. - WILMINGTON
5500 BUSINESS DRIVE
WILMINGTON, NC 28405

NY Lab Id No: 11685

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Polychlorinated Biphenyls

PCB 189	EPA 1668A
PCB 19	EPA 1668A
PCB 190	EPA 1668A
PCB 191	EPA 1668A
PCB 192	EPA 1668A
PCB 193	EPA 1668A
PCB 194	EPA 1668A
PCB 195	EPA 1668A
PCB 196	EPA 1668A
PCB 197	EPA 1668A
PCB 198	EPA 1668A
PCB 199	EPA 1668A
PCB 2	EPA 1668A
PCB 20	EPA 1668A
PCB 200	EPA 1668A
PCB 201	EPA 1668A
PCB 202	EPA 1668A
PCB 203	EPA 1668A
PCB 204	EPA 1668A
PCB 205	EPA 1668A
PCB 206	EPA 1668A
PCB 207	EPA 1668A
PCB 208	EPA 1668A
PCB 209	EPA 1668A
PCB 21	EPA 1668A
PCB 22	EPA 1668A
PCB 23	EPA 1668A



Serial No.: 71298

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026
Issued April 01, 2025
Revised September 23, 2025

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. GREG DICKINSON
SGS NORTH AMERICA INC. - WILMINGTON
5500 BUSINESS DRIVE
WILMINGTON, NC 28405

NY Lab Id No: 11685

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Polychlorinated Biphenyls

PCB 24	EPA 1668A
PCB 25	EPA 1668A
PCB 26	EPA 1668A
PCB 27	EPA 1668A
PCB 28	EPA 1668A
PCB 29	EPA 1668A
PCB 3	EPA 1668A
PCB 30	EPA 1668A
PCB 31	EPA 1668A
PCB 32	EPA 1668A
PCB 33	EPA 1668A
PCB 34	EPA 1668A
PCB 35	EPA 1668A
PCB 36	EPA 1668A
PCB 37	EPA 1668A
PCB 38	EPA 1668A
PCB 39	EPA 1668A
PCB 4	EPA 1668A
PCB 40	EPA 1668A
PCB 41	EPA 1668A
PCB 42	EPA 1668A
PCB 43	EPA 1668A
PCB 44	EPA 1668A
PCB 45	EPA 1668A
PCB 46	EPA 1668A
PCB 47	EPA 1668A
PCB 48	EPA 1668A



Serial No.: 71298

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026
Issued April 01, 2025
Revised September 23, 2025

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. GREG DICKINSON
SGS NORTH AMERICA INC. - WILMINGTON
5500 BUSINESS DRIVE
WILMINGTON, NC 28405

NY Lab Id No: 11685

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Polychlorinated Biphenyls

PCB 49	EPA 1668A
PCB 5	EPA 1668A
PCB 50	EPA 1668A
PCB 51	EPA 1668A
PCB 52	EPA 1668A
PCB 53	EPA 1668A
PCB 54	EPA 1668A
PCB 55	EPA 1668A
PCB 56	EPA 1668A
PCB 57	EPA 1668A
PCB 58	EPA 1668A
PCB 59	EPA 1668A
PCB 6	EPA 1668A
PCB 60	EPA 1668A
PCB 61	EPA 1668A
PCB 62	EPA 1668A
PCB 63	EPA 1668A
PCB 64	EPA 1668A
PCB 65	EPA 1668A
PCB 66	EPA 1668A
PCB 67	EPA 1668A
PCB 68	EPA 1668A
PCB 69	EPA 1668A
PCB 7	EPA 1668A
PCB 70	EPA 1668A
PCB 71	EPA 1668A
PCB 72	EPA 1668A

Serial No.: 71298

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026
Issued April 01, 2025
Revised September 23, 2025

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. GREG DICKINSON
SGS NORTH AMERICA INC. - WILMINGTON
5500 BUSINESS DRIVE
WILMINGTON, NC 28405

NY Lab Id No: 11685

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Polychlorinated Biphenyls

PCB 73	EPA 1668A
PCB 74	EPA 1668A
PCB 75	EPA 1668A
PCB 76	EPA 1668A
PCB 77	EPA 1668A
PCB 78	EPA 1668A
PCB 79	EPA 1668A
PCB 8	EPA 1668A
PCB 80	EPA 1668A
PCB 81	EPA 1668A
PCB 82	EPA 1668A
PCB 83	EPA 1668A
PCB 84	EPA 1668A
PCB 85	EPA 1668A
PCB 86	EPA 1668A
PCB 87	EPA 1668A
PCB 88	EPA 1668A
PCB 89	EPA 1668A
PCB 9	EPA 1668A
PCB 90	EPA 1668A
PCB 91	EPA 1668A
PCB 92	EPA 1668A
PCB 94	EPA 1668A
PCB 95	EPA 1668A
PCB 96	EPA 1668A
PCB 97	EPA 1668A
PCB 98	EPA 1668A



Serial No.: 71298

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026
Issued April 01, 2025
Revised September 23, 2025

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. GREG DICKINSON
SGS NORTH AMERICA INC. - WILMINGTON
5500 BUSINESS DRIVE
WILMINGTON, NC 28405

NY Lab Id No: 11685

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Polychlorinated Biphenyls

PCB 99

EPA 1668A



Serial No.: 71298

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026
Issued April 01, 2025

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. GREG DICKINSON
SGS NORTH AMERICA INC. - WILMINGTON
5500 BUSINESS DRIVE
WILMINGTON, NC 28405

NY Lab Id No: 11685

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES POTABLE WATER
All approved analytes are listed below:*

Perfluorinated Alkyl Acids

11CI-PF3OUdS	EPA 533
	EPA 537.1, Version 2
4:2FTS	EPA 533
6:2FTS	EPA 533
8:2FTS	EPA 533
9CI-PF3ONS	EPA 533
	EPA 537.1, Version 2
ADONA	EPA 533
	EPA 537.1, Version 2
HFPO-DA (GenX)	EPA 533
	EPA 537.1, Version 2
NEtFOSAA	EPA 537.1, Version 2
NFDHA	EPA 533
NMeFOSAA	EPA 537.1, Version 2
Perfluorotridecanoic Acid (PFTTrDA)	EPA 537.1, Version 2
Perfluorodecanoic Acid (PFDA)	EPA 533
	EPA 537.1, Version 2
Perfluoro-3-Methoxypropanoic Acid (F	EPA 533
Perfluoro-4-Methoxybutanoic Acid (PF	EPA 533
Perfluorobutanesulfonic Acid (PFBS)	EPA 533
	EPA 537.1, Version 2
Perfluorobutanoic Acid (PFBA)	EPA 533
Perfluorododecanoic Acid (PFDoA)	EPA 533
	EPA 537.1, Version 2
Perfluoroheptanesulfonic Acid (PFHpS	EPA 533
Perfluoroheptanoic Acid (PFHpA)	EPA 533
	EPA 537.1, Version 2

Serial No.: 70572

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026
Issued April 01, 2025

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. GREG DICKINSON
SGS NORTH AMERICA INC. - WILMINGTON
5500 BUSINESS DRIVE
WILMINGTON, NC 28405

NY Lab Id No: 11685

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES POTABLE WATER
All approved analytes are listed below:*

Perfluorinated Alkyl Acids

Perfluorohexanesulfonic Acid (PFHxS)	EPA 533
	EPA 537.1, Version 2
Perfluorohexanoic Acid (PFHxA)	EPA 533
	EPA 537.1, Version 2
Perfluorononanoic Acid (PFNA)	EPA 533
	EPA 537.1, Version 2
Perfluorooctanesulfonic Acid (PFOS)	EPA 533
	EPA 537.1, Version 2
Perfluorooctanoic Acid (PFOA)	EPA 533
	EPA 537.1, Version 2
Perfluoropentanesulfonic Acid (PFPeS)	EPA 533
Perfluoropentanoic Acid (PFPeA)	EPA 533
Perfluorotetradecanoic Acid (PFTeDA)	EPA 537.1, Version 2
Perfluoroundecanoic Acid (PFUnA)	EPA 533
	EPA 537.1, Version 2
PFEESA	EPA 533

Serial No.: 70572

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026
Issued April 01, 2025

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

*MR. GREG DICKINSON
SGS NORTH AMERICA INC. - WILMINGTON
5500 BUSINESS DRIVE
WILMINGTON, NC 28405*

NY Lab Id No: 11685

*is hereby APPROVED as an Environmental Laboratory for the category
ENVIRONMENTAL ANALYSES POTABLE WATER
All approved subcategories and/or analytes are listed below:*

Miscellaneous

1,4-Dioxane

EPA 522



Serial No.: 70573

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026
Issued April 01, 2025
Revised September 23, 2025

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. GREG DICKINSON
SGS NORTH AMERICA INC. - WILMINGTON
5500 BUSINESS DRIVE
WILMINGTON, NC 28405

NY Lab Id No: 11685

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:*

Dioxins and Furans

1,2,3,4,6,7,8,9-Octachlorodibenzofura	EPA 8290A
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-d	EPA 8290A
1,2,3,4,6,7,8-Heptachlorodibenzofurar	EPA 8290A
1,2,3,4,6,7,8-Heptachlorodibenzo-p-di	EPA 8290A
1,2,3,4,7,8,9-Heptachlorodibenzofurar	EPA 8290A
1,2,3,4,7,8-Hexachlorodibenzofuran	EPA 8290A
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxi	EPA 8290A
1,2,3,6,7,8-Hexachlorodibenzofuran	EPA 8290A
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxi	EPA 8290A
1,2,3,7,8,9-Hexachlorodibenzofuran	EPA 8290A
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxi	EPA 8290A
1,2,3,7,8-Pentachlorodibenzofuran	EPA 8290A
1,2,3,7,8-Pentachlorodibenzo-p-dioxin	EPA 8290A
2,3,4,6,7,8-Hexachlorodibenzofuran	EPA 8290A
2,3,4,7,8-Pentachlorodibenzofuran	EPA 8290A
2,3,7,8-Tetrachlorodibenzofuran	EPA 8290A
2,3,7,8-Tetrachlorodibenzo-p-dioxin	EPA 8290A

Perfluorinated Alkyl Acids

11CI-PF3OUdS	EPA 1633A
3:3 FTCA	EPA 1633A
4:2FTS	EPA 1633A
5:3 FTCA	EPA 1633A
6:2FTS	EPA 1633A
7:3 FTCA	EPA 1633A
8:2FTS	EPA 1633A
9CI-PF3ONS	EPA 1633A
ADONA	EPA 1633A

Serial No.: 71299

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026
Issued April 01, 2025
Revised September 23, 2025

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. GREG DICKINSON
SGS NORTH AMERICA INC. - WILMINGTON
5500 BUSINESS DRIVE
WILMINGTON, NC 28405

NY Lab Id No: 11685

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:*

Perfluorinated Alkyl Acids

HFPO-DA (GenX)	EPA 1633A
NEtFOSA	EPA 1633A
NEtFOSAA	EPA 1633A
NEtFOSE	EPA 1633A
NFDHA	EPA 1633A
NMeFOSA	EPA 1633A
NMeFOSAA	EPA 1633A
NMeFOSE	EPA 1633A
Perfluorotridecanoic Acid (PFTTrDA)	EPA 1633A
Perfluorodecanoic Acid (PFDA)	EPA 1633A
Perfluoro-3-Methoxypropanoic Acid (PF3MPAA)	EPA 1633A
Perfluoro-4-Methoxybutanoic Acid (PF4MBA)	EPA 1633A
Perfluorobutanesulfonic Acid (PFBS)	EPA 1633A
Perfluorobutanoic Acid (PFBA)	EPA 1633A
Perfluorodecanesulfonic acid (PFDS)	EPA 1633A
Perfluorododecanesulfonic acid (PFDoS)	EPA 1633A
Perfluorododecanoic Acid (PFDoA)	EPA 1633A
Perfluoroheptanesulfonic Acid (PFHpS)	EPA 1633A
Perfluoroheptanoic Acid (PFHpA)	EPA 1633A
Perfluorohexanesulfonic Acid (PFHxS)	EPA 1633A
Perfluorohexanoic Acid (PFHxA)	EPA 1633A
Perfluorononanesulfonic acid (PFNS)	EPA 1633A
Perfluorononanoic Acid (PFNA)	EPA 1633A
Perfluorooctanesulfonamide (PFOSA)	EPA 1633A
Perfluorooctanesulfonic Acid (PFOS)	EPA 1633A
Perfluorooctanoic Acid (PFOA)	EPA 1633A
Perfluoropentanesulfonic Acid (PFPeS)	EPA 1633A

Serial No.: 71299

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026
Issued April 01, 2025
Revised September 23, 2025

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. GREG DICKINSON
SGS NORTH AMERICA INC. - WILMINGTON
5500 BUSINESS DRIVE
WILMINGTON, NC 28405

NY Lab Id No: 11685

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:*

Perfluorinated Alkyl Acids

Perfluoropentanoic Acid (PFPeA)	EPA 1633A
Perfluorotetradecanoic Acid (PFTeDA)	EPA 1633A
Perfluoroundecanoic Acid (PFUnA)	EPA 1633A
PFEESA	EPA 1633A

Polychlorinated Biphenyls

Aroclor 1016 (PCB-1016)	EPA 8082A
Aroclor 1221 (PCB-1221)	EPA 8082A
Aroclor 1232 (PCB-1232)	EPA 8082A
Aroclor 1242 (PCB-1242)	EPA 8082A
Aroclor 1248 (PCB-1248)	EPA 8082A
Aroclor 1254 (PCB-1254)	EPA 8082A
Aroclor 1260 (PCB-1260)	EPA 8082A
PCB 1	EPA 1668A
PCB 10	EPA 1668A
PCB 100	EPA 1668A
PCB 101	EPA 1668A
PCB 102	EPA 1668A
PCB 103	EPA 1668A
PCB 104	EPA 1668A
PCB 105	EPA 1668A
PCB 106	EPA 1668A
PCB 107	EPA 1668A
PCB 108	EPA 1668A
PCB 109	EPA 1668A
PCB 11	EPA 1668A
PCB 110	EPA 1668A
PCB 111	EPA 1668A

Serial No.: 71299

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026
Issued April 01, 2025
Revised September 23, 2025

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. GREG DICKINSON
SGS NORTH AMERICA INC. - WILMINGTON
5500 BUSINESS DRIVE
WILMINGTON, NC 28405

NY Lab Id No: 11685

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:*

Polychlorinated Biphenyls

PCB 112	EPA 1668A
PCB 113	EPA 1668A
PCB 114	EPA 1668A
PCB 115	EPA 1668A
PCB 116	EPA 1668A
PCB 117	EPA 1668A
PCB 118	EPA 1668A
PCB 119	EPA 1668A
PCB 12	EPA 1668A
PCB 120	EPA 1668A
PCB 121	EPA 1668A
PCB 122	EPA 1668A
PCB 123	EPA 1668A
PCB 124	EPA 1668A
PCB 125	EPA 1668A
PCB 126	EPA 1668A
PCB 127	EPA 1668A
PCB 128	EPA 1668A
PCB 129	EPA 1668A
PCB 13	EPA 1668A
PCB 130	EPA 1668A
PCB 131	EPA 1668A
PCB 132	EPA 1668A
PCB 133	EPA 1668A
PCB 134	EPA 1668A
PCB 135	EPA 1668A
PCB 136	EPA 1668A

Serial No.: 71299

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026
Issued April 01, 2025
Revised September 23, 2025

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. GREG DICKINSON
SGS NORTH AMERICA INC. - WILMINGTON
5500 BUSINESS DRIVE
WILMINGTON, NC 28405

NY Lab Id No: 11685

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:*

Polychlorinated Biphenyls

PCB 137	EPA 1668A
PCB 138	EPA 1668A
PCB 139	EPA 1668A
PCB 14	EPA 1668A
PCB 140	EPA 1668A
PCB 141	EPA 1668A
PCB 142	EPA 1668A
PCB 143	EPA 1668A
PCB 144	EPA 1668A
PCB 145	EPA 1668A
PCB 146	EPA 1668A
PCB 147	EPA 1668A
PCB 148	EPA 1668A
PCB 149	EPA 1668A
PCB 15	EPA 1668A
PCB 150	EPA 1668A
PCB 151	EPA 1668A
PCB 152	EPA 1668A
PCB 153	EPA 1668A
PCB 154	EPA 1668A
PCB 155	EPA 1668A
PCB 156	EPA 1668A
PCB 157	EPA 1668A
PCB 158	EPA 1668A
PCB 159	EPA 1668A
PCB 16	EPA 1668A
PCB 160	EPA 1668A



Serial No.: 71299

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026
Issued April 01, 2025
Revised September 23, 2025

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. GREG DICKINSON
SGS NORTH AMERICA INC. - WILMINGTON
5500 BUSINESS DRIVE
WILMINGTON, NC 28405

NY Lab Id No: 11685

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:*

Polychlorinated Biphenyls

PCB 161	EPA 1668A
PCB 162	EPA 1668A
PCB 163	EPA 1668A
PCB 164	EPA 1668A
PCB 165	EPA 1668A
PCB 166	EPA 1668A
PCB 167	EPA 1668A
PCB 168	EPA 1668A
PCB 169	EPA 1668A
PCB 17	EPA 1668A
PCB 170	EPA 1668A
PCB 171	EPA 1668A
PCB 172	EPA 1668A
PCB 173	EPA 1668A
PCB 174	EPA 1668A
PCB 175	EPA 1668A
PCB 176	EPA 1668A
PCB 177	EPA 1668A
PCB 178	EPA 1668A
PCB 179	EPA 1668A
PCB 18	EPA 1668A
PCB 180	EPA 1668A
PCB 181	EPA 1668A
PCB 182	EPA 1668A
PCB 183	EPA 1668A
PCB 184	EPA 1668A
PCB 185	EPA 1668A

Serial No.: 71299

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026
Issued April 01, 2025
Revised September 23, 2025

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. GREG DICKINSON
SGS NORTH AMERICA INC. - WILMINGTON
5500 BUSINESS DRIVE
WILMINGTON, NC 28405

NY Lab Id No: 11685

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:*

Polychlorinated Biphenyls

PCB 186	EPA 1668A
PCB 187	EPA 1668A
PCB 188	EPA 1668A
PCB 189	EPA 1668A
PCB 19	EPA 1668A
PCB 190	EPA 1668A
PCB 191	EPA 1668A
PCB 192	EPA 1668A
PCB 193	EPA 1668A
PCB 194	EPA 1668A
PCB 195	EPA 1668A
PCB 196	EPA 1668A
PCB 197	EPA 1668A
PCB 198	EPA 1668A
PCB 199	EPA 1668A
PCB 2	EPA 1668A
PCB 20	EPA 1668A
PCB 200	EPA 1668A
PCB 201	EPA 1668A
PCB 202	EPA 1668A
PCB 203	EPA 1668A
PCB 204	EPA 1668A
PCB 205	EPA 1668A
PCB 206	EPA 1668A
PCB 207	EPA 1668A
PCB 208	EPA 1668A
PCB 209	EPA 1668A



Serial No.: 71299

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026
Issued April 01, 2025
Revised September 23, 2025

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. GREG DICKINSON
SGS NORTH AMERICA INC. - WILMINGTON
5500 BUSINESS DRIVE
WILMINGTON, NC 28405

NY Lab Id No: 11685

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:*

Polychlorinated Biphenyls

PCB 21	EPA 1668A
PCB 22	EPA 1668A
PCB 23	EPA 1668A
PCB 24	EPA 1668A
PCB 25	EPA 1668A
PCB 26	EPA 1668A
PCB 27	EPA 1668A
PCB 28	EPA 1668A
PCB 29	EPA 1668A
PCB 3	EPA 1668A
PCB 30	EPA 1668A
PCB 31	EPA 1668A
PCB 32	EPA 1668A
PCB 33	EPA 1668A
PCB 34	EPA 1668A
PCB 35	EPA 1668A
PCB 36	EPA 1668A
PCB 37	EPA 1668A
PCB 38	EPA 1668A
PCB 39	EPA 1668A
PCB 4	EPA 1668A
PCB 40	EPA 1668A
PCB 41	EPA 1668A
PCB 42	EPA 1668A
PCB 43	EPA 1668A
PCB 44	EPA 1668A
PCB 45	EPA 1668A



Serial No.: 71299

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026
Issued April 01, 2025
Revised September 23, 2025

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. GREG DICKINSON
SGS NORTH AMERICA INC. - WILMINGTON
5500 BUSINESS DRIVE
WILMINGTON, NC 28405

NY Lab Id No: 11685

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:*

Polychlorinated Biphenyls

PCB 46	EPA 1668A
PCB 47	EPA 1668A
PCB 48	EPA 1668A
PCB 49	EPA 1668A
PCB 5	EPA 1668A
PCB 50	EPA 1668A
PCB 51	EPA 1668A
PCB 52	EPA 1668A
PCB 53	EPA 1668A
PCB 54	EPA 1668A
PCB 55	EPA 1668A
PCB 56	EPA 1668A
PCB 57	EPA 1668A
PCB 58	EPA 1668A
PCB 59	EPA 1668A
PCB 6	EPA 1668A
PCB 60	EPA 1668A
PCB 61	EPA 1668A
PCB 62	EPA 1668A
PCB 63	EPA 1668A
PCB 64	EPA 1668A
PCB 65	EPA 1668A
PCB 66	EPA 1668A
PCB 67	EPA 1668A
PCB 68	EPA 1668A
PCB 69	EPA 1668A
PCB 7	EPA 1668A



Serial No.: 71299

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026
Issued April 01, 2025
Revised September 23, 2025

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. GREG DICKINSON
SGS NORTH AMERICA INC. - WILMINGTON
5500 BUSINESS DRIVE
WILMINGTON, NC 28405

NY Lab Id No: 11685

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:*

Polychlorinated Biphenyls

PCB 70	EPA 1668A
PCB 71	EPA 1668A
PCB 72	EPA 1668A
PCB 73	EPA 1668A
PCB 74	EPA 1668A
PCB 75	EPA 1668A
PCB 76	EPA 1668A
PCB 77	EPA 1668A
PCB 78	EPA 1668A
PCB 79	EPA 1668A
PCB 8	EPA 1668A
PCB 80	EPA 1668A
PCB 81	EPA 1668A
PCB 82	EPA 1668A
PCB 83	EPA 1668A
PCB 84	EPA 1668A
PCB 85	EPA 1668A
PCB 86	EPA 1668A
PCB 87	EPA 1668A
PCB 88	EPA 1668A
PCB 89	EPA 1668A
PCB 9	EPA 1668A
PCB 90	EPA 1668A
PCB 91	EPA 1668A
PCB 92	EPA 1668A
PCB 93	EPA 1668A
PCB 94	EPA 1668A

Serial No.: 71299

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2026
Issued April 01, 2025
Revised September 23, 2025

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. GREG DICKINSON
SGS NORTH AMERICA INC. - WILMINGTON
5500 BUSINESS DRIVE
WILMINGTON, NC 28405

NY Lab Id No: 11685

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:*

Polychlorinated Biphenyls

PCB 95	EPA 1668A
PCB 96	EPA 1668A
PCB 97	EPA 1668A
PCB 98	EPA 1668A
PCB 99	EPA 1668A



Serial No.: 71299

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.

