State of Connecticut, Department of Public Health

Approved Environmental Laboratory

THIS IS TO CERTIFY THAT THE LABORATORY DESCRIBED BELOW HAS BEEN APPROVED BY THE STATE DEPARTMENT OF PUBLIC HEALTH PURSUANT TO APPLICABLE PROVISIONS OF THE PUBLIC HEALTH CODE AND GENERAL STATUTES OF CONNECTICUT, FOR MAKING THE EXAMINATIONS, DETERMINATIONS OR TESTS SPECIFIED BELOW WHICH HAVE BEEN AUTHORIZED IN WRITING BY THAT DEPARTMENT.

AMA ANALYTICAL SERVICES

LOCATED AT 4475 Forbes Boulevard **IN** Lanham, MD 20706

AND REGISTERED IN THE NAME OF Andreas Saldivar

THIS CERTIFICATE IS ISSUED IN THE NAME OF Andreas Saldivar **WHO HAS BEEN DESIGNATED BY THE REGISTERED OWNER/AUTHORIZED AGENT TO BE IN CHARGE OF THE LABORATORY WORK COVERED BY THIS CERTIFICATE OF APPROVAL AS FOLLOWS:**

DRINKING WATER, SOIL/SOLID WASTE	AIR/BULK MATERIALS	ENVIRONMENTAL HEALTH & HOUSING
Asbestos, Copper & Lead	Asbestos	Lead in Dust Wipes Lead in Paint Lead (Paint) in Soil

SEE COMPUTER PRINT-OUT FOR SPECIFIC TESTS APPROVED

THIS CERTIFICATE EXPIRES December 31, 2026 **AND IS REVOCABLE FOR CAUSE BY THE STATE DEPARTMENT OF PUBLIC HEALTH**

DATED AT HARTFORD, CONNECTICUT, THIS 26th **DAY OF** December 2024

Registration No.

PH-0309

Lisa Michelle Morrissey

Lisa Michelle Morrissey, MPH
Deputy Commissioner

STATE OF CONNECTICUT

CONNECTICUT
Public Health

DEPARTMENT OF PUBLIC HEALTH
ENVIRONMENT LAB CERTIFICATION PROGRAM (ELCP)

CERTIFIED ANALYTES REPORT FOR ALL MATRICES

AMA Analytical Services

4475 FORBES BOULEVARD

LANHAM, MD 20706

CT REGISTRATION NUMBER :	**PH-0309**
REGISTERED OWNER / AUTHORIZED AGENT :	**Andreas Saldivar**
DIRECTOR :	**Andreas Saldivar**
CO DIRECTOR(S) :	
PHONE :	**(301) 459-2640**
LABORATORY REGISTRATION EFFECTIVE DATE :	**01/01/2025**
LABORATORY REGISTRATION EXPIRATION DATE :	**12/31/2026**
LABORATORY STATUS :	**APPROVED**

APPROVED BY Lisa Michelle Morrissey 12/31/2024

Lisa Michelle Morrissey, MPH
Deputy Commissioner
Connecticut Department of Public Health

REVIEWED BY Dawn E Shaban 12/26/2024 1:23:10 PM

Dawn Shaban
Laboratory Consultant

ANY QUESTIONS CONCERNING THIS DOCUMENT SHOULD BE ADDRESSED TO THE ENVIRONMENTAL LABORATORY CERTIFICATION PROGRAM AT (860) 509-7389

AIR

STATUS REPORTED ON 12/26/2024

ANALYTE NAME

ASBESTOS

ASBESTOS FIBERS (PCM) NIOSH 7400	ASBESTOS FIBERS (TEM) 40 CFR Part 763, Subpart E, Appendix A

CONSTRUCTION, RENOVATION & DEMO BLDG MATERIALS

STATUS REPORTED ON 12/26/2024

ANALYTE NAME

ASBESTOS

ASBESTOS IN BULK MATERIALS (PLM) EPA-600-R-93-116	ASBESTOS IN BULK MATERIALS (TEM) EPA-600-R-93-116

DRINKING WATER (SDWA)

STATUS REPORTED ON 12/26/2024

ANALYTE NAME

METALS

Copper EPA 200.8

Copper SM3111B

Lead EPA 200.8

Lead SM3113B

ASBESTOS

ASBESTOS IN WATER (TEM) EPA 100.2

SOLID WASTE/SOIL (RCRA)

STATUS REPORTED ON 12/26/2024

ANALYTE NAME

ENVIRONMENTAL HEALTH & HOUSING

Lead (Paint) in Soil SW-846 7000B

Lead in Dust Wipes SW-846 7000B

Report Profile:	Lab Name : AMA Analytical Services
	Test Name : *
	Matrix Name : *
	Matrix Selection = ALL OR SOME MATRICES SELECTED
	Certifications approved or provisional on 12/26/2024

THIS IS THE LAST PAGE OF THE REPORT